API NUMBER: 087 22393

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date:	10/11/2022
Expiration Date:	04/11/2024

Multi Unit Oil & Gas

## **PERMIT TO DRILL**

WELL LOCATION: Section: 06 Township: 6N Range: 4W County:	MCCLAIN
SPOT LOCATION: SW SW SE SW FEET FROM QUARTER: FROM SOUTH	
SECTION LINES: 285	1477
Lease Name: RITTER Well No: 0604 7-1	
	·
Operator Name: CPRP SERVICES LLC Telephone: 4059223	3616 OTC/OCC Number: 24506 0
CPRP SERVICES LLC	ALLEN K. TOWNSEND AND MAXIE R. WOOD H/W
I 123 NW 8TH ST	1609 N.W. 181ST STREET
OKLAHOMA CITY, OK 73102-5804	EDMOND OK 73012
G.K. 10102 000 1	LDWOND OK 73012
Formation(s) (Permit Valid for Listed Formations Only):	
Name Code Depth	
1 WOODFORD 319WDFD 11370	
Spacing Orders: 616247 Location Exception Orde	
664985 725751	725505
	ers' notified: *** Special Orders: No Special
Pending CD Numbers: No Pending Working interest own	ers' notified:
Total Depth: 22200 Ground Elevation: 1180 Surface Casing:	: 1500 Depth to base of Treatable Water-Bearing FM: 270
	Deep surface casing has been approved
Under Federal Jurisdiction: No	Approved Method for disposal of Drilling Fluids:
Fresh Water Supply Well Drilled: No	D. One time land application (REQUIRES PERMIT) PERMIT NO: 22-38623
Surface Water used to Drill: Yes	H. (Other) SEE MEMO
DIT 4 INFORMATION	Category of Pit: C
PIT 1 INFORMATION  Type of Pit System: CLOSED Closed System Means Steel Pits	Liner not required for Category: C
Type of Mud System: WATER BASED	Pit Location is: BED AQUIFER
Chlorides Max: 5000 Average: 3000	Pit Location Formation: DUNCAN
Is depth to top of ground water greater than 10ft below base of pit? Y	
Within 1 mile of municipal water well? N	
Wellhead Protection Area? N	
Pit <u>is</u> located in a Hydrologically Sensitive Area.	
PIT 2 INFORMATION	Category of Pit: C
Type of Pit System: CLOSED Closed System Means Steel Pits	Liner not required for Category: C
Type of Mud System: OIL BASED	Pit Location is: BED AQUIFER
Chlorides Max: 300000 Average: 200000	Pit Location Formation: DUNCAN
Is depth to top of ground water greater than 10ft below base of pit? Y	
Within 1 mile of municipal water well? N	
Wellhead Protection Area? N	
Wolfinga Frotestion / Wear.	

**MULTI UNIT HOLE 1** 

Section: 18 Township: 6N Range: 4W Meridian: IM Total Length: 10241

County: MCCLAIN Measured Total Depth: 22200

Spot Location of End Point: SE SW SW SW True Vertical Depth: 11370

Feet From: SOUTH

1/4 Section Line: 100

End Point Location from
Lease, Unit, or Property Line: 100

NOTES:	
Category	Description
DEEP SURFACE CASING	[10/5/2022 - GC2] - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING
HYDRAULIC FRACTURING	[10/5/2022 - GC2] - OCC 165:10-3-10 REQUIRES:
	1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN;
	2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS. FORM 6000NHF SHALL BE USED AND IS FOUND AT THIS LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG
INCREASED DENSITY - 725505	[10/7/2022 - GB7] - 18-6N-4W X664985 WDFD 1 WELL CPRP SERVICES LLC 05/12/2022
INCREASED DENSITY - 725537	[10/7/2022 - GB7] - 7-6N-4W X616247 WDFD 2 WELLS CPRP SERVICES LLC 05/13/2022
LOCATION EXCEPTION - 725671 (CD2022- 001197)	[10/7/2022 - GB7] - (I.O.) 7 & 18-8N-6W X616247 WDFD, OTHER 7-6N-4W X664985 WDFD, OTHER 18-6N-4W COMPL. INT. (7-6N-4W) NCT 165' FNL, NCT 0' FSL, NCT 330' FWL COMPL. INT. (18-6N-4W) NCT 0' FNL, NCT 165' FSL, NCT 330' FWL CPRP SERVICES LLC 05/19/2022
MEMO	[10/5/2022 - GC2] - CLOSED SYSTEM=STEEL PITS (REQUIRED - LAFLIN CREEK AND WINTER CREEK), OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT
SPACING - 616247	[10/7/2022 - GB7] - (640) 7-6N-4W VAC OTHER EXT 598870 /VAR/ 609304 WDFD, OTHERS
SPACING - 664985	[10/7/2022 - GB7] - (640)(HOR) 18-6N-4W EST WDFD, OTHERS COMPL. INT. NCT 165' FNL & FSL, NCT 330' FEL & FWL (COEXIST SP. ORDER# 598870 WDFD, OTHERS)
SPACING - 725751 (CD2022-001196)	[10/7/2022 - GB7] - (I.O.) 7 & 18-6N-4W EST MULTIUNIT HORIZONTAL WELL X616247 WDFD, OTHER 7-6N-4W X664985 WDFD, OTHER 18-6N-4W 35% 7-6N-4W 65% 18-6N-4W CPRP SERVICES LLC 05/24/2022
WATERSHED STRUCTURE	[10/5/2022 - GC2] - WELL WITHIN 1/2 MILE OF AN OKLAHOMA CONSERVATION COMMISSION WATERSHED STRUCTURE. CONTACT THE LOCAL CONSERVATION DISTRICT OFFICE AT ((405) 527-3452 PRIOR TO DRILLING