API NUMBER: 087 22426 A

Oil & Gas

Amend reason: SURFACE LOCATION MOVED SLIGHTLY TO THE WEST.

SACRED SUN

Multi Unit

Lease Name:

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 04/05/2023

Expiration Date: 10/05/2024

AMEND PERMIT TO DRILL

WELL LOCATION:	Section:	29	Township: 7N	Range: 3W	County: MCCLAII	N
SPOT LOCATION:	SE NE	NE	SW FEET	FROM QUARTER: FROM	SOUTH FROM	WEST
				SECTION LINES:	2217	2575

Operator Name: NATIVE EXPLORATION OPERATING LLC Telephone: 4059223616 OTC/OCC Number: 24070 0

Well No: 0703 29-32-5-2WXH

NATIVE EXPLORATION OPERATING LLC

OKLAHOMA CITY, OK 73102-5804

JAMES CLAGG
PO BOX 756
WASHINGTON OK 73093

Well will be 2217 feet from nearest unit or lease boundary.

Formation(s) (Permit Valid for Listed Formations Only):

Name		Code	Depth			
1 WOODFOR	RD	319WDFD	9650			
Spacing Orders:	709218	Lo	ocation Exception Orders:	731310	Increased Density Orders:	731488
	702100			723851		731489
	708886					731490
	700050					

Pending CD Numbers: No Pending Working interest owners' notified: DNA Special Orders: No Special

Total Depth: 21020 Ground Elevation: 1218 Surface Casing: 1500 Depth to base of Treatable Water-Bearing FM: 150

Deep surface casing has been approved

Under Federal Jurisdiction: No
Fresh Water Supply Well Drilled: No
Surface Water used to Drill: Yes

Approved Method for disposal of Drilling Fluids:

D. One time land application -- (REQUIRES PERMIT) PERMIT NO: 23-38964

H. (Other) SEE MEMO

PIT 1 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED

Chlorides Max: 5000 Average: 3000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N
Wellhead Protection Area? N

Pit <u>is</u> located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is: BED AQUIFER

Pit Location Formation: DUNCAN

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit <u>is</u> located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is: BED AQUIFER
Pit Location Formation: DUNCAN

MULTI UNIT HOLE 1

Section: 5 Township: 6N Range: 3W Meridian: IM Total Length: 10657

County: MCCLAIN Measured Total Depth: 21020

Spot Location of End Point: NE NE NE SW True Vertical Depth: 9650

Feet From: **SOUTH** 1/4 Section Line: 2549 End Point Location from

Feet From: **WEST** 1/4 Section Line: 2450 Lease, Unit, or Property Line: 2450

NOTES:

Category	Description
DEEP SURFACE CASING	[4/3/2023 - GC2] - APPROVED; (1) NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING. (2) SUBSEQUENT WELLS ON SAME PAD WILL NOT BE ALLOWED DEEP SURFACE CASING IN THE EVENT OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING.
HYDRAULIC FRACTURING	[4/3/2023 - GC2] - OCC 165:10-3-10 REQUIRES:
	1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN;
	2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF FRACTURING OPERATIONS. FORM 6000NHF SHALL BE FOUND HERE: HTTPS://OKLAHOMA.GOV/OCC/DIVISIONS/OIL-GAS/OGCD-FORMS; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG
INCREASED DENSITY - 731488	[4/5/2023 - G56] - 29-7N-3W X709218 WDFD 1 WELL NATIVE EXPLOR OP, LLC 1/19/2023
INCREASED DENSITY - 731489	[4/5/2023 - G56] - 32-7N-3W X702100 WDFD 1 WELL NATIVE EXPLOR OP, LLC 1/19/2023
INCREASED DENSITY - 731490	[4/5/2023 - G56] - 5-6N-3W X708886 WDFD 1 WELL NO OP NAMED 1/19/2023
LOCATION EXCEPTION - 723851	[4/5/2023 - G56] - (I.O.) 29 & 32-7N-3W & 5-6N-3W X709218 WDFD 29-7N-3W X7092100 WDFD 32-7N-3W X708886 WDFD 5-6N-3W COMPL. INT. (29-7N-3W) NCT 165' FNL, NCT 0' FSL, NCT 330' FEL COMPL. INT. (32-7N-3W) NCT 0' FNL, NCT 0' FSL, NCT 330' FEL COMPL. INT. (5-6N-3W) NCT 0' FNL, NCT 2640' FSL, NCT 660' FEL NATIVE EXPLORATION OPERATING, LLC. 3/1/2022
LOCATION EXCEPTION - 731310	[4/5/2023 - G56] - EXT OF TIME FOR ORDER # 723851
МЕМО	[4/3/2023 - GC2] - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT
SPACING - 702100	[4/5/2023 - G56] - (640)(HOR) 32-7N-3W VAC OTHERS EXT 681654 WDFD, OTHERS COMPL. INT. NCT 165' FSL, NCT 330' FEL, NCT 165' FNL, NCT 330' FWL
SPACING - 708886	[4/5/2023 - G56] - (640)(HOR) 5-6N-3W EXT 702100 WDFD, OTHER COMPL. INT. NCT 165' FSL, NCT 330' FEL, NCT 165' FNL, NCT 330' FWL
SPACING - 709218	[4/5/2023 - G56] - (640)(HOR) 29-7N-3W EXT 702100 WDFD, OTHER COMPL. INT. NCT 165' FSL, NCT 330' FEL, NCT 165' FNL, NCT 330' FWL
SPACING - 723852	[4/5/2023 - G56] - (I.O.) 29 & 32-7N-3W & 5-6N-3W EST MULTIUNIT WELL X709218 WDFD 29-7N-3W X702100 WDFD 32-7N-3W X708886 WDFD 5-6N-3W 40% 29-7N-3W 40% 32-7N-3W 20% 5-6N-3W NATIVE EXPLORATION OPERATING, LLC. 3/1/2022