

Oklahoma Corporation Commission
Oil & Gas Conservation Division
Post Office Box 52000
Oklahoma City, Oklahoma 73152-2000
Rule 165: 10-3-25

Form 1002A

API No.: 35133253590001

Completion Report

Spud Date: April 20, 2021

OTC Prod. Unit No.: 133-227204-0-0000

Drilling Finished Date: April 30, 2021

Amended

1st Prod Date: June 10, 2021

Amend Reason: RECOMPLETION - ADD SENORA COMPLETION / COMMINGLE

Completion Date: June 02, 2021

Recomplete Date: August 02, 2022

Drill Type: DIRECTIONAL HOLE

Min Gas Allowable: Yes

Well Name: ZELLER 1-35

Purchaser/Measurer: CVR

Location: SEMINOLE 35 8N 5E
SW NW SE SW
769 FSL 1594 FWL of 1/4 SEC
Latitude: 35.11786951 Longitude: -96.75232686
Derrick Elevation: 0 Ground Elevation: 0

First Sales Date: 8/10/2022

Operator: REACH OIL AND GAS COMPANY INC 24558

6301 WATERFORD BLVD STE 120
OKLAHOMA CITY, OK 73118-1100

Completion Type		Location Exception		Increased Density	
	Single Zone	Order No		Order No	
	Multiple Zone	There are no Location Exception records to display.		There are no Increased Density records to display.	
X	Commingled				

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
SURFACE	8 5/8	24	J-55	874		450	SURFACE
PRODUCTION	5 1/2"	15.5	J-55	4654		290	2800

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
There are no Liner records to display.								

Total Depth: 4860

Packer	
Depth	Brand & Type
There are no Packer records to display.	

Plug	
Depth	Plug Type
There are no Plug records to display.	

Initial Test Data

Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut-In Pressure	Choke Size	Flow Tubing Pressure
Jun 10, 2021	HUNTON	8	40				PUMPING			
Aug 03, 2022	SENORA	32	38				PUMPING	400		40

Completion and Test Data by Producing Formation

Formation Name: HUNTON

Code: 269HNTN

Class: OIL

Spacing Orders

Order No	Unit Size
717746	160

Perforated Intervals

From	To
4452	4461

Acid Volumes

1500 GALS 15% HCL

Fracture Treatments

There are no Fracture Treatments records to display.

Formation Name: SENORA

Code: 404SNOR

Class: OIL

Spacing Orders

Order No	Unit Size
717746	160

Perforated Intervals

From	To
3303	3318

Acid Volumes

2500 GAL NAS

Fracture Treatments

There are no Fracture Treatments records to display.

Formation	Top
CALVIN	2917
SENORA	3334
EARLSBORO	3472
BARTLESVILLE	3716
WOODFORD	4319
HUNTON	4452
VIOLA	4602
SIMPSON DOLOMITE	4712
1ST WILCOX	4748
2ND WILCOX	4860
SENORA	3303

Were open hole logs run? Yes

Date last log run: April 27, 2021

Were unusual drilling circumstances encountered? No

Explanation:

Other Remarks

ORIGINAL 1002A SUBMITTED 7/6/2021
AMENDED SUBMITTAL TO SHOW SENORA COMPLETION AND COMMINGLE WITH HUNTON.
OCC- SPACING ORDER 717746 CREATED AN IRREGULAR UNIT COMPRISING OF SE SW & SW SE SECTION 35-8N-5E AND NW NE & NE NW SECTION 2-7N-5E.

Bottom Holes

Sec: 35 TWP: 8N RGE: 5E County: SEMINOLE

SW SE SE SW

36 FSL 2232 FWL of 1/4 SEC

Depth of Deviation: 0 Radius of Turn: 0 Direction: 0 Total Length: 0

Measured Total Depth: 4860 True Vertical Depth: 4730 End Pt. Location From Release, Unit or Property Line: 912

FOR COMMISSION USE ONLY

1148748

Status: Accepted