

Oklahoma Corporation Commission
 Oil & Gas Conservation Division
 Post Office Box 52000
 Oklahoma City, Oklahoma 73152-2000
 Rule 165: 10-3-25

Form 1002A

API No.: 35073266800000

Completion Report

Spud Date: April 03, 2020

OTC Prod. Unit No.: 073-226877-0-0000

Drilling Finished Date: April 26, 2020

1st Prod Date: August 23, 2020

Completion Date: August 20, 2020

Drill Type: HORIZONTAL HOLE

Well Name: QUIDDITCH BIA 31-30-16N-7W2020 2MHX

Purchaser/Measurer: ENLINK

Location: KINGFISHER 31 16N 7W
 SW SW SW SW
 284 FSL 260 FWL of 1/4 SEC
 Latitude: 35.813359673 Longitude: -97.99363159
 Derrick Elevation: 1105 Ground Elevation: 1082

First Sales Date: 8/25/2020

Operator: PALOMA OPERATING CO INC 23932

1100 LOUISIANA ST STE 5100
 HOUSTON, TX 77002-5220

Completion Type	
X	Single Zone
	Multiple Zone
	Commingled

Location Exception	
Order No	
716383	

Increased Density	
Order No	
696330	
697009	

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
CONDUCTOR	20	52.78	X42	105			SURFACE
SURFACE	9.625	36	J55 BTC	1471		475	SURFACE
PRODUCTION	5.5	20	P110 ICY	18661		2115	3918

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
There are no Liner records to display.								

Total Depth: 18710

Packer	
Depth	Brand & Type
8559	AS1X

Plug	
Depth	Plug Type
There are no Plug records to display.	

Initial Test Data

Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut-In Pressure	Choke Size	Flow Tubing Pressure
Sep 09, 2020	MSNLC / MSSP	824	44	1712	2077	2000	FLOWING	400	50/64	500

Completion and Test Data by Producing Formation

Formation Name: MISSISSIPPIAN (LESS CHESTER)

Code: 359MSNLC

Class: OIL

Spacing Orders

Order No	Unit Size
661506	640
716382	MULTIUNIT

Perforated Intervals

From	To
8602	13482

Acid Volumes

NONE

Fracture Treatments

669,197 BBLs FLUID
27,408,673 LBS PROPPANT

Formation Name: MISSISSIPPIAN

Code: 359MSSP

Class: OIL

Spacing Orders

Order No	Unit Size
667524	640
716382	MULTIUNIT

Perforated Intervals

From	To
13482	18590

Acid Volumes

NONE

Fracture Treatments

TREATED WITH MISSISSIPPIAN (LESS CHESTER)

Formation Name: MSNLC / MSSP

Code:

Class: OIL

Formation	Top
MERAMEC (MISSISSIPPIAN)	8426

Were open hole logs run? No

Date last log run:

Were unusual drilling circumstances encountered? No

Explanation:

Other Remarks

OCC - LOCATION EXCEPTION ORDER 716383 (201901189) INCLUDES EXCEPTION TO RULE 165:10-3-28(C)(2)(B)

Lateral Holes

Sec: 30 TWP: 16N RGE: 7W County: KINGFISHER

NW NE NE NW

69 FNL 2194 FWL of 1/4 SEC

Depth of Deviation: 7921 Radius of Turn: 509 Direction: 3 Total Length: 9988

Measured Total Depth: 18710 True Vertical Depth: 8181 End Pt. Location From Release, Unit or Property Line: 69

FOR COMMISSION USE ONLY

1145504

Status: Accepted