

Oklahoma Corporation Commission
Oil & Gas Conservation Division
Post Office Box 52000
Oklahoma City, Oklahoma 73152-2000
Rule 165: 10-3-25

Form 1002A

API No.: 35011241470000

Completion Report

Spud Date: January 17, 2019

OTC Prod. Unit No.: 011-225648-0-0000

Drilling Finished Date: February 18, 2019

1st Prod Date: June 16, 2019

Completion Date: June 16, 2019

Drill Type: HORIZONTAL HOLE

Min Gas Allowable: Yes

Well Name: EVERETT 12_1-15N-11W 2HX

Purchaser/Measurer:

Location: BLAINE 12 15N 11W
SE SW SE SW
305 FSL 1659 FWL of 1/4 SEC
Latitude: 35.783872 Longitude: -98.325045
Derrick Elevation: 1549 Ground Elevation: 1526

First Sales Date:

Operator: DEVON ENERGY PRODUCTION CO LP 20751

333 W SHERIDAN AVE
OKLAHOMA CITY, OK 73102-5015

Completion Type	
X	Single Zone
	Multiple Zone
	Commingled

Location Exception	
Order No	
705182	

Increased Density	
Order No	
686973	
686974	

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
CONDUCTOR	20"	106.5#	K-55	0			SURFACE
SURFACE	13 3/8"	54.5#	J-55	1520		895	SURFACE
INTERMEDIATE	8 5/8"	32#	J-55	9549		390	6667
PRODUCTION	5 1/2"	23#	P-110EC	21357		2010	5492

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
There are no Liner records to display.								

Total Depth: 21357

Packer	
Depth	Brand & Type
There are no Packer records to display.	

Plug	
Depth	Plug Type
21144'	ALUMINUM BRIDGE PLUG

Initial Test Data

Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut-In Pressure	Choke Size	Flow Tubing Pressure
Jul 30, 2019	MISS'AN LESS CHESTER/ MISSISSIPPI LIME	1578	47.3	3315	2100	633	FLOWING	42	26/64	

Completion and Test Data by Producing Formation

Formation Name: MISSISSIPPI LIME

Code: 351MSSLM

Class: OIL

Spacing Orders

Order No	Unit Size
588202	640
705181	MULTIUNIT

Perforated Intervals

From	To
11601	16063

Acid Volumes

NO ACID

Fracture Treatments

313,182 BBLS FLUID
26,479,850 # PROPPANT

Formation Name: MISSISSIPPIAN (LESS CHESTER)

Code: 359MSNLC

Class: 0

Spacing Orders

Order No	Unit Size
660423	640
705181	MULTIUNIT

Perforated Intervals

From	To
16063	20978

Acid Volumes

There are no Acid Volume records to display.
--

Fracture Treatments

FRAC'D WITH MISSISSIPPI LIME FORMATION
--

Formation Name: MISS'AN LESS CHESTER/ MISSISSIPPI LIME

Code:

Class: OIL

Formation	Top
MISSISSIPPI LIME	10788
MISSISSIPPIAN LESS CHESTER	10860

Were open hole logs run? No

Date last log run:

Were unusual drilling circumstances encountered? No

Explanation:

Other Remarks

There are no Other Remarks.

Lateral Holes

Sec: 1 TWP: 15N RGE: 11W County: BLAINE

NW NE NW NW

50 FNL 786 FWL of 1/4 SEC

Depth of Deviation: 10611 Radius of Turn: 497 Direction: 355 Total Length: 9965

Measured Total Depth: 21357 True Vertical Depth: 10713 End Pt. Location From Release, Unit or Property Line: 50

FOR COMMISSION USE ONLY

1142829

Status: Accepted