# Oklahoma Corporation Commission Oil & Gas Conservation Division Post Office Box 52000 Oklahoma City, Oklahoma 73152-2000

**Completion Report** 

Rule 165: 10-3-25

Spud Date: December 12, 2018

OTC Prod. Unit No.: 019-227433-0-0000 Drilling Finished Date: April 15, 2019

1st Prod Date: October 28, 2021

Min Gas Allowable: Yes

Amended

Completion Date: October 28, 2021

Drill Type: HORIZONTAL HOLE

Well Name: BEULAH 2-6H1X Purchaser/Measurer: TARGA

Location: CARTER 6 4S 3E First Sales Date: 10/28/2021

SW NE NE SE 2090 FSL 545 FEL of 1/4 SEC

Latitude: 34.236441 Longitude: -97.022344 Derrick Elevation: 778 Ground Elevation: 748

Operator: XTO ENERGY INC 21003

**Completion Type** 

Single Zone

Multiple Zone

Commingled

Amend Reason: SHOW COMPLETION

API No.: 35019263110001

22777 SPRINGWOODS VILLAGE PARKWAY

SPRING, TX 77389-1425

Location Exception	
Order No	
725273	

Increased Density
Order No
688342
696057 NPT
688341

Casing and Cement								
Type Size Weight Grade Feet PSI SAX Top of CM								
CONDUCTOR	20"	53#	A53 B	110			SURFACE	
SURFACE	13 3/8"	54.50#	J-55	2022		815	SURFACE	
PRODUCTION	5 1/2"	23#	P-110 CYHP	24604		2840	6900	

Liner									
Туре	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth	
There are no Liner records to display.									

Total Depth: 24604

Packer				
Depth	Brand & Type			
There are no Packer records to display.				

Plug					
Depth	Plug Type				
There are no Plug records to display.					

**Initial Test Data** 

May 25, 2022 1 of 2

Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut- In Pressure	Choke Size	Flow Tubing Pressure
Feb 01, 2022	WOODFORD	89	50	7117	79966	850	FLOWING	5563	28/64"	

#### **Completion and Test Data by Producing Formation**

Formation Name: WOODFORD

Code: 319WDFD

Class: GAS

Spacing Orders				
Order No	Unit Size			
584342	640			
584935	640			
725272	MULTIUNIT			

Perforated Intervals				
From	То			
14823	24463			

## Acid Volumes

There are no Acid Volume records to display.

#### **Fracture Treatments**

35 STAGES - 512,785 BARRELS TREATED WATER 1,651,980 POUNDS 100 MESH SAND 4,129,730 POUNDS 40/80 WHITE SAND 8,516,772 POUNDS 40/70 WHITE SAND.

Formation	Тор
WOODFORD	14389

Were open hole logs run? No Date last log run:

Were unusual drilling circumstances encountered? No Explanation:

## Other Remarks

INITIAL COMPLETION.

# Lateral Holes

Sec: 1 TWP: 4S RGE: 2E County: CARTER

SW SW NW SW

1544 FSL 283 FWL of 1/4 SEC

Depth of Deviation: 14108 Radius of Turn: 665 Direction: 270 Total Length: 9451

Measured Total Depth: 24604 True Vertical Depth: 14383 End Pt. Location From Release, Unit or Property Line: 283

# FOR COMMISSION USE ONLY

1147665

Status: Accepted

May 25, 2022 2 of 2

Oklahoma Corporation Commission Oil & Gas Conservation Division Post Office Box 52000 Oklahoma City, Oklahoma 73152-2000 Rule 165: 10-3-25

Form 1002A

1002A **Addendum** 

API No.: 35019263110001

**Completion Report** 

Spud Date: December 12, 2018

OTC Prod. Unit No.: 019-227433-0-0000 "

Drilling Finished Date: April 15, 2019

1st Prod Date: October 28, 2021

Completion Date: October 28, 2021

**Amended** 

Amend Reason: SHOW COMPLETION **Drill Type: HORIZONTAL HOLE** 

Min Gas Allowable: Yes

Purchaser/Measurer: TARGA

First Sales Date: 10/28/2021

Well Name: BEULAH 2-6H1X

CARTER 6 4S 3E

SW NE NE SE 2090 FSL 545 FEL of 1/4 SEC

Latitude: 34.236441 Longitude: -97.022344 Derrick Elevation: 778 Ground Elevation: 748

Location:

Operator: XTO ENERGY INC 21003

22777 SPRINGWOODS VILLAGE PARKWAY

SPRING, TX 77389-1425

Muffiret:

06-045-03E: 49,48% 227433

01-045-02E: 50,52% 227433A

Completion Type					
X	Single Zone				
	Multiple Zone				
	Commingled				

 Location Exception			
Order No			
725273			

Increased Density				
 Order No				
688342				
 696057 NPT				
 688341				

MUFO 725272 [ SA 688344 (Sec.6) = SA 688343 (Sec.1)

	Casing and Cement						
Туре	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
CONDUCTOR	20"	53#	A53 B	110			SURFACE
SURFACE	13 3/8"	54.50#	J-55	2022		815	SURFACE
PRODUCTION	5 1/2"	23#	P-110 CYHP	24604		2840	6900

				Liner				
Туре	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
There are no Liner records to display.								

Total Depth: 24604

Packer					
Depth	Brand & Type				
There are no Packe	r records to display.				

Plug					
Depth	Plug Type				
There are no Plug records to display.					

**Initial Test Data** 

1 of 2