

Oklahoma Corporation Commission
Oil & Gas Conservation Division
Post Office Box 52000
Oklahoma City, Oklahoma 73152-2000
Rule 165: 10-3-25

Form 1002A

API No.: 35073262200000

Completion Report

Spud Date: October 10, 2018

OTC Prod. Unit No.: 073-224651-0-0000

Drilling Finished Date: November 21, 2018

1st Prod Date: December 11, 2018

Completion Date: December 11, 2018

Drill Type: HORIZONTAL HOLE

Min Gas Allowable: Yes

Well Name: JIMMY RAINEY 18-09-13 1H

Purchaser/Measurer: GSPM

Location: KINGFISHER 24 18N 9W
NW NE NE NW
225 FNL 2025 FWL of 1/4 SEC
Latitude: 36.0281889 Longitude: -98.1142603
Derrick Elevation: 1161 Ground Elevation: 1143

First Sales Date: 12/15/2018

Operator: CHISHOLM OIL & GAS OPERATING LLC 23991

6100 S YALE AVE STE 1700
TULSA, OK 74136-1921

Completion Type		Location Exception		Increased Density	
X	Single Zone	Order No		Order No	
	Multiple Zone	683887		There are no Increased Density records to display.	
	Commingled				

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
CONDUCTOR	20			80			SURFACE
SURFACE	9 5/8	40	J-55	420		225	SURFACE
PRODUCTION	7	29	P-110	8815		280	5503

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
LINER	4 1/2	13.5	P-110	4607	0	465	8540	13147

Total Depth: 13147

Packer	
Depth	Brand & Type
There are no Packer records to display.	

Plug	
Depth	Plug Type
There are no Plug records to display.	

Initial Test Data

Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut-In Pressure	Choke Size	Flow Tubing Pressure
Jan 09, 2019	MISSISSIPPIAN	246	40	422	1715	356	ESP		64	250

Completion and Test Data by Producing Formation

Formation Name: MISSISSIPPIAN

Code: 359MSSP

Class: OIL

Spacing Orders

Order No	Unit Size
653227	640

Perforated Intervals

From	To
8854	13084

Acid Volumes

46,872 GAL 15% HCL

Fracture Treatments

654,073 LBS 100 MESH SAND; 3,892,446 LBS 30/50 SAND
11,345,376 GAL SLICKWATER

Formation	Top
CHECKERBOARD SH	6609
CHECKERBOARD LS	6650
BIG LIME	6867
OSWEGO 3	7030
VERDIGRIS	7129
PINK LIME	7254
CHESTER	7474
MANNING	7775
MERAMEC	8054
MERAMEC SH1	8071
MERAMEC SH2	8112
MERAMEC SH3	8159
OSAGE LS	8166
OSAGE 4	8316
OSAGE 6	8455
OSAGE 6B	8478
OSAGE 7	8485

Were open hole logs run? No

Date last log run:

Were unusual drilling circumstances encountered? No

Explanation:

Other Remarks

WELL WAS SIDETRACKED DUE TO PENETRATING THE WOODFORD. OCC - THIS DOCUMENT IS ACCEPTED BASED ON THE DATA SUBMITTED THE FINAL LOCATION EXCEPTION HAS NOT BEEN ISSUED.

Lateral Holes

Sec: 13 TWP: 18N RGE: 9W County: KINGFISHER

NW SW NE NW

723 FNL 1490 FWL of 1/4 SEC

Depth of Deviation: 7679 Radius of Turn: 549 Direction: 359 Total Length: 4332

Measured Total Depth: 13147 True Vertical Depth: 8443 End Pt. Location From Release, Unit or Property Line: 723

FOR COMMISSION USE ONLY	
Status: Accepted	1142199