

Oklahoma Corporation Commission
Oil & Gas Conservation Division
Post Office Box 52000
Oklahoma City, Oklahoma 73152-2000
Rule 165: 10-3-25

Form 1002A

API No.: 35073263980001

Completion Report

Spud Date: December 30, 2019

OTC Prod. Unit No.: 073-225152-0-0000

Drilling Finished Date: January 27, 2019

1st Prod Date: March 09, 2019

Amended

Completion Date: February 24, 2019

Amend Reason: OCC - FINAL LOCATION EXCEPTION ORDER WITH BHL INFO ADDED

Drill Type: HORIZONTAL HOLE

Min Gas Allowable: Yes

Well Name: CHRISTENSEN 1505 2-35MH

Purchaser/Measurer: SUPERIOR

Location: KINGFISHER 35 15N 5W
SE SE SW SW
233 FSL 1129 FWL of 1/4 SEC
Latitude: 35.72652 Longitude: -97.706
Derrick Elevation: 1156 Ground Elevation: 1134

First Sales Date: 3/10/2019

Operator: RED BLUFF RESOURCES OPERATING LLC 23828

3030 NW EXPRESSWAY STE 900
OKLAHOMA CITY, OK 73112-5447

Completion Type		Location Exception		Increased Density	
X	Single Zone	Order No		Order No	
	Multiple Zone	713432		There are no Increased Density records to display.	
	Commingled				

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
CONDUCTOR	20			80			
SURFACE	9.625	36	J-55	746		250	SURFACE
PRODUCTION	7.0	26	P-110 IC	7403		185	5975

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
LINER	4.5	13.5	P-110CY	4636	0	0	7294	11930

Total Depth: 11930

Packer	
Depth	Brand & Type
11807	SCHLUMBERGER SWELLABLE PKR
11662	SCHLUMBERGER SWELLABLE PKR
11530	SCHLUMBERGER SWELLABLE PKR
11398	SCHLUMBERGER SWELLABLE PKR

Plug	
Depth	Plug Type
11865	CAST IRON BRIDGE PLUG

11265	SCHLUMBERGER SWELLABLE PKR
11133	SCHLUMBERGER SWELLABLE PKR
11002	SCHLUMBERGER SWELLABLE PKR
10862	SCHLUMBERGER SWELLABLE PKR
11732	SCHLUMBERGER SWELLABLE PKR
10599	SCHLUMBERGER SWELLABLE PKR
10468	SCHLUMBERGER SWELLABLE PKR
10336	SCHLUMBERGER SWELLABLE PKR
10205	SCHLUMBERGER SWELLABLE PKR
10067	SCHLUMBERGER SWELLABLE PKR
9934	SCHLUMBERGER SWELLABLE PKR
9803	SCHLUMBERGER SWELLABLE PKR
9672	SCHLUMBERGER SWELLABLE PKR
9541	SCHLUMBERGER SWELLABLE PKR
9402	SCHLUMBERGER SWELLABLE PKR
9271	SCHLUMBERGER SWELLABLE PKR
9140	SCHLUMBERGER SWELLABLE PKR
9007	SCHLUMBERGER SWELLABLE PKR
8870	SCHLUMBERGER SWELLABLE PKR
8738	SCHLUMBERGER SWELLABLE PKR
8606	SCHLUMBERGER SWELLABLE PKR
8476	SCHLUMBERGER SWELLABLE PKR
8344	SCHLUMBERGER SWELLABLE PKR
8213	SCHLUMBERGER SWELLABLE PKR
8081	SCHLUMBERGER SWELLABLE PKR
7949	SCHLUMBERGER SWELLABLE PKR
7820	SCHLUMBERGER SWELLABLE PKR
7688	SCHLUMBERGER SWELLABLE PKR
7556	SCHLUMBERGER SWELLABLE PKR
7424	SCHLUMBERGER SWELLABLE PKR
7371	SCHLUMBERGER SWELLABLE PKR

Initial Test Data										
Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut-In Pressure	Choke Size	Flow Tubing Pressure
Mar 19, 2019	MISSISSIPPIAN	430	39.2	680	1518	1510	PUMPING	855	64	155

Completion and Test Data by Producing Formation			
Formation Name: MISSISSIPPIAN		Code: 359MSSP	Class: OIL
Spacing Orders		Perforated Intervals	
Order No	Unit Size	From	To
687008	640	There are no Perf. Intervals records to display.	
Acid Volumes		Fracture Treatments	
64,906 GALLONS 15% HCl ACID		SAND: 5,687,640 LBS FLUID: 292,765 BBLS	

Formation	Top
COTTAGE GROVE	5579
CHECKERBOARD	6124
OSWEGO	6579
VERDIGRIS	6731
MERAMEC SHALE	6954

Were open hole logs run? No
Date last log run:

Were unusual drilling circumstances encountered? No
Explanation:

Other Remarks
NO LOGS RAN. OCC THIS WELL OCC - OPEN HOLE COMPLETION FROM BOTTOM OF THE 7" CASING AT 7403' TO TERMINUS AT 11930'. THE 4 1/2" LINER IS NOT CEMENTED. OCC - PERFORATIONS 7539 - 11729 OCC - AS PER ORDER 713432 FINAL LOCATION EXCEPTION PERMENENT CAST IRON BRIDGE PLUG SET @ 179 FNL 994 FWL @ 11865'

Lateral Holes
Sec: 35 TWP: 15N RGE: 5W County: KINGFISHER NE NE NW NW 114 FNL 991 FWL of 1/4 SEC Depth of Deviation: 6523 Radius of Turn: 542 Direction: 359 Total Length: 4555 Measured Total Depth: 11930 True Vertical Depth: 7066 End Pt. Location From Release, Unit or Property Line: 114

FOR COMMISSION USE ONLY
Status: Accepted
1144831