

Oklahoma Corporation Commission
Oil & Gas Conservation Division
Post Office Box 52000
Oklahoma City, Oklahoma 73152-2000
Rule 165: 10-3-25

Form 1002A

API No.: 35129241210000

Completion Report

Spud Date: November 07, 2018

OTC Prod. Unit No.: 129-225044-0-0000

Drilling Finished Date: December 16, 2018

1st Prod Date: January 11, 2019

Completion Date: December 20, 2018

Drill Type: HORIZONTAL HOLE

Well Name: FREEZEOUT 17X8-11-26 1HC

Purchaser/Measurer: ENBRIDGE

Location: ROGER MILLS 17 11N 26W
SE NW SE SE
988 FSL 683 FEL of 1/4 SEC
Latitude: 35.4250083 Longitude: -99.9664556
Derrick Elevation: 2143 Ground Elevation: 2111

First Sales Date: 1/11/19

Operator: FOURPOINT ENERGY LLC 23429

100 SAINT PAUL ST STE 400
DENVER, CO 80206-5140

Completion Type		Location Exception		Increased Density	
X	Single Zone	Order No		Order No	
	Multiple Zone	696051		There are no Increased Density records to display.	
	Commingled				

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
SURFACE	13 3/8	54.5	J-55	331	1000	410	SURFACE
INTERMEDIATE	9 5/8	40	J-55	6710		990	
PRODUCTION	5/12	20	P-110	19730	5000	2115	7552

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
There are no Liner records to display.								

Total Depth: 19757

Packer	
Depth	Brand & Type
There are no Packer records to display.	

Plug	
Depth	Plug Type
There are no Plug records to display.	

Initial Test Data

Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut-In Pressure	Choke Size	Flow Tubing Pressure
Jan 23, 2019	M0'AN (UP GRANITE WASH)-GRANITE WASH UP	2165	47	4176	1929	916	FLOWING	1875	30/64	2100

Completion and Test Data by Producing Formation

Formation Name: GRANITE WASH UPPER

Code: 000GRWSU

Class: OIL

Spacing Orders	
Order No	Unit Size
166467	640
696050	MULTIUNIT

Perforated Intervals	
From	To
11800	16459

Acid Volumes
68000 GALS FE 15%

Fracture Treatments
5921440 LBS OF COMMON WHITE 100 MESH SAND, 1285860 LBS OF PREMIUM WHITE 40/70 MESH SAND, & 1358190 LBS OF PREMIUM WHITE CRC 40/70 MESH SAND. 307421 BBLS WATER

Formation Name: MO'AN (UP GRANITE WASH)

Code: 405MOUGW

Class: OIL

Spacing Orders	
Order No	Unit Size
512637	640
519763	640 NPT
696050	MULTIUNIT

Perforated Intervals	
From	To
16494	19539

Acid Volumes
ACIDIZED WITH UPPER GRANITE WASH

Fracture Treatments
FRAC'D WITH UPPER GRANITE WASH

Formation Name: M0'AN (UP GRANITE WASH)-GRANITE WASH UP

Code:

Class: OIL

Formation	Top
MISSOURIAN	10706

Were open hole logs run? No

Date last log run:

Were unusual drilling circumstances encountered? No

Explanation:

Other Remarks
There are no Other Remarks.

Lateral Holes
Sec: 8 TWP: 11N RGE: 26W County: ROGER MILLS
NE SW SE NE
1981 FNL 751 FEL of 1/4 SEC
Depth of Deviation: 11000 Radius of Turn: 452 Direction: 2 Total Length: 8047
Measured Total Depth: 19757 True Vertical Depth: 11452 End Pt. Location From Release, Unit or Property Line: 751

FOR COMMISSION USE ONLY
Status: Accepted
1141861