

Oklahoma Corporation Commission
Oil & Gas Conservation Division
Post Office Box 52000
Oklahoma City, Oklahoma 73152-2000
Rule 165: 10-3-25

Form 1002A

API No.: 35051242930001

Completion Report

Spud Date: March 29, 2018

OTC Prod. Unit No.: 051-224351

Drilling Finished Date: May 17, 2018

1st Prod Date: September 12, 2018

Amended

Completion Date: September 09, 2018

Amend Reason: ADD FORMATION, AMEND PERFS

Drill Type: HORIZONTAL HOLE

Min Gas Allowable: Yes

Well Name: BIRT 3-13-12XHS

Purchaser/Measurer: ENABLE MIDSTREAM

Location: GRADY 24 7N 6W
SE NE NW NE
430 FNL 1628 FEL of 1/4 SEC
Latitude: 35.07218 Longitude: -97.78162
Derrick Elevation: 1179 Ground Elevation: 1149

First Sales Date: 9/12/2018

Operator: CONTINENTAL RESOURCES INC 3186
PO BOX 269000
20 N BROADWAY AVE
OKLAHOMA CITY, OK 73126-9000

Completion Type	
X	Single Zone
	Multiple Zone
	Commingled

Location Exception
Order No
684422

Increased Density
Order No
677376
676904

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
SURFACE	13 3/8	55	J-55	1517		840	SURFACE
INTERMEDIATE	9 5/8	40	P-110	11315		1070	3615
PRODUCTION	5 1/2	23	P-110	22200		2660	11246

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
There are no Liner records to display.								

Total Depth: 22249

Packer	
Depth	Brand & Type
There are no Packer records to display.	

Plug	
Depth	Plug Type
There are no Plug records to display.	

Initial Test Data

Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut-In Pressure	Choke Size	Flow Tubing Pressure
Sep 18, 2018	SPRINGER/GODDARD	12	46.7	101	8416	3173	FLOWING	3850	20/64	1976

Completion and Test Data by Producing Formation

Formation Name: SPRINGER

Code: 401 SPRG

Class: OIL

Spacing Orders

Order No	Unit Size
582004	640
683565	MULTIUNIT

Perforated Intervals

From	To
11939	17071

Acid Volumes

2079 BBLS 15% HCL ACID

Fracture Treatments

404,021 BBLS OF FLUID & 16,392,333 LBS OF SAND
--

Formation Name: GODDARD

Code: 401 GDRD

Class: OIL

Spacing Orders

Order No	Unit Size
567315	640
683565	MULTIUNIT

Perforated Intervals

From	To
17071	22110

Acid Volumes

ACIDIZED WITH SPRINGER

Fracture Treatments

FRACTURED WITH SPRINGER

Formation Name: SPRINGER/GODDARD

Code:

Class: OIL

Formation	Top
SPRINGER	11684
GODDARD	17071

Were open hole logs run? No

Date last log run:

Were unusual drilling circumstances encountered? No

Explanation:

Other Remarks

OCC: THIS DOCUMENT IS BEING ACCEPTED BASED ON THE DATA SUBMITTED. NEITHER THE FINAL LOCATION EXCEPTION NOR THE FINAL MULTIUNIT ORDERS HAVE BEEN ISSUED

Lateral Holes

Sec: 12 TWP: 7N RGE: 6W County: GRADY

NE NW NW NE

97 FNL 1995 FEL of 1/4 SEC

Depth of Deviation: 10846 Radius of Turn: 791 Direction: 2 Total Length: 10310

Measured Total Depth: 22249 True Vertical Depth: 11280 End Pt. Location From Release, Unit or Property Line: 97

FOR COMMISSION USE ONLY

1141865

Status: Accepted