

Oklahoma Corporation Commission
Oil & Gas Conservation Division
Post Office Box 52000
Oklahoma City, Oklahoma 73152-2000
Rule 165: 10-3-25

Form 1002A

API No.: 35121248600001

Completion Report

Spud Date: September 09, 2019

OTC Prod. Unit No.: 121-227490-0-0000

Drilling Finished Date: November 30, 2019

1st Prod Date: November 18, 2021

Completion Date: October 21, 2021

Drill Type: HORIZONTAL HOLE

Min Gas Allowable: Yes

Well Name: SUDOKU 1-36H

Purchaser/Measurer: NEXTERA ENERGY POWER
MARKET

First Sales Date: 11/18/2021

Location: PITTSBURG 35 8N 17E
SE NE SE SE
820 FSL 225 FEL of 1/4 SEC
Latitude: 35.1188783 Longitude: -95.47296874
Derrick Elevation: 912 Ground Elevation: 889

Operator: TRINITY OPERATING USG LLC 23879

1717 S BOULDER AVE STE 201
TULSA, OK 74119-4842

Completion Type	
X	Single Zone
	Multiple Zone
	Commingled

Location Exception
Order No
722525

Increased Density
Order No
There are no Increased Density records to display.

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
SURFACE	13.375	48	H-40	266		130	SURFACE
INTERMEDIATE	9.625	36	J-55	5027		655	1405
PRODUCTION	5.5	20	P-110	13647		1010	7045

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
There are no Liner records to display.								

Total Depth: 13683

Packer	
Depth	Brand & Type
There are no Packer records to display.	

Plug	
Depth	Plug Type
There are no Plug records to display.	

Initial Test Data

Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut-In Pressure	Choke Size	Flow Tubing Pressure
Dec 04, 2021	MISSISSIPPIAN			2030		731	FLOWING	830	FULL	137

Completion and Test Data by Producing Formation

Formation Name: MISSISSIPPIAN		Code: 359MSSP		Class: GAS	
Spacing Orders		Perforated Intervals			
Order No	Unit Size	From	To		
699393	640	8582	13520		
Acid Volumes		Fracture Treatments			
4,000 GALLONS ACID		272,567 BARRELS FRAC FLUID			

Formation	Top
MISSISSIPPIAN	8365

Were open hole logs run? No

Date last log run:

Were unusual drilling circumstances encountered? No

Explanation:

Other Remarks
There are no Other Remarks.

Lateral Holes
Sec: 36 TWP: 8N RGE: 17E County: PITTSBURG NE NW NE NW 10 FNL 1887 FWL of 1/4 SEC Depth of Deviation: 7837 Radius of Turn: 717 Direction: 5 Total Length: 4758 Measured Total Depth: 13683 True Vertical Depth: 7636 End Pt. Location From Release, Unit or Property Line: 10

FOR COMMISSION USE ONLY
<div>Status: Accepted</div> <div>1147439</div>

11/18/21
Oklahoma Corporation Commission
Oil & Gas Conservation Division
Post Office Box 52000
Oklahoma City, Oklahoma 73152-2000
Rule 165: 10-3-25

Form 1002A

1002A
Addendum

API No.: 35121248600001

Completion Report

Spud Date: September 09, 2019

OTC Prod. Unit No.: 121-227490-0-0000

Drilling Finished Date: November 30, 2019

1st Prod Date: November 18, 2021

Completion Date: October 21, 2021

Drill Type: **HORIZONTAL HOLE**

Min Gas Allowable: Yes

Well Name: SUDOKU 1-36H

Purchaser/Measurer: NEXTERA ENERGY POWER
MARKET

Location: PITTSBURG 35 8N 17E (54)
SE NE SE SE
820 FSL 225 FEL of 1/4 SEC
Latitude: 35.1188783 Longitude: -95.47296874
Derrick Elevation: 912 Ground Elevation: 889

BHL: 36-08N-17E

First Sales Date: 11/18/2021

Operator: TRINITY OPERATING USG LLC 23879

1717 S BOULDER AVE STE 201
TULSA, OK 74119-4842

Completion Type	
X	Single Zone
	Multiple Zone
	Commingled

Location Exception
Order No
722525

Increased Density
Order No
There are no Increased Density records to display.

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
SURFACE	13.375	48	H-40	266		130	SURFACE
INTERMEDIATE	9.625	36	J-55	5027		655	1405
PRODUCTION	5.5	20	P-110	13647		1010	7045

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
There are no Liner records to display.								

Total Depth: 13683

Packer		Plug	
Depth	Brand & Type	Depth	Plug Type
There are no Packer records to display.		There are no Plug records to display.	

Initial Test Data

~~Record 8/10/21~~
January 25, 2022

12/4/21

359MSSP

830