Oklahoma Corporation Commission Oil & Gas Conservation Division Post Office Box 52000 Oklahoma City, Oklahoma 73152-2000 Rule 165: 10-3-25

Completion Report

API No.: 35073265590000

OTC Prod. Unit No.: 073-225786

Amended

Amend Reason: OCC - CORRECTION

Drill Type: HORIZONTAL HOLE

Well Name: SALLY SKULL 19-07-19 1MH

Location: KINGFISHER 19 19N 7W SW SE SE SW 200 FSL 2250 FWL of 1/4 SEC Latitude: 36.10272739 Longitude: -97.98898521 Derrick Elevation: 1190 Ground Elevation: 1169

Operator: CHISHOLM OIL & GAS OPERATING LLC 23991

6100 S YALE AVE STE 1700 TULSA, OK 74136-1921 Spud Date: June 15, 2019 Drilling Finished Date: July 01, 2019 1st Prod Date: July 29, 2019 Completion Date: July 27, 2019

Min Gas Allowable: Yes

Purchaser/Measurer: KINGFISHER MIDSTREAM

First Sales Date: 8/18/2019

	Completion Type	Location Exception	Increased Density				
Х	Single Zone	Order No	Order No				
	Multiple Zone	701239	There are no Increased Density records to display.				
	Commingled						

Casing and Cement											
Т	Туре		Size	Weight	Grade	Feet		PSI SAX		Top of CMT	
CONE	CONDUCTOR		20			102				SURFACE	
SUF	RFACE		9 5/8 40 J-55 455		55	250		SURFACE			
PROD	PRODUCTION		7	29	P-110	80	72		275	4878	
	Liner										
Туре	Size	Weig	ght	Grade	Length	PSI	SAX	Тор	Depth	Bottom Depth	
LINER	4 1/2	13.	5	P-110	4846	0	430	-	7814	12660	

Total Depth: 12660

Pac	ker	Plug			
Depth Brand & Type		Depth	Plug Type		
There are no Packe	r records to display.	There are no Plug records to display.			

Initial Test Data

Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut- In Pressure	Choke Size	Flow Tubing Pressure
Aug 20, 2019	ug 20, 2019 MISSISSIPPIAN (LESS CHESTER)		40	287	564	1978	ESP		64/64	210
		Con	npletion and	Test Data k	by Producing F	ormation				
	Formation Name: MISSI CHESTER)	SSIPPIAN (L	ESS	Code: 35	9MSNLC	C	lass: OIL			
	Spacing Orders		Perforated Intervals							
Orde	Order No Un			From		То				
697	697921 640			8100 12590						
	Acid Volumes		Fracture Treatments							
49,896 GAL 15% HCL				576,354 LBS 100 MESH SAND;3,544,783 LBS 30/50 SAND						
				11,648,784 GAL SLICKWATER						
]		

Formation	Тор
CHECKERBOARD	6287
BIG LIME	6481
OSWEGO 3	6620
VERDIGRIS	6702
PINK LIME	6826
CHESTER	7034
MANNING	7144
MISSISSIPPIAN (LESS CHESTER)	7396
OSAGE	7497

Were open hole logs run? No

Date last log run:

Were unusual drilling circumstances encountered? No Explanation:

Other Remarks

OCC – THIS DOCUMENT IS ACCEPTED BASED ON DATA SUBMITTED, THE FINAL LOCATION EXCEPTION FOR ORDER 701239 HAS NOT BEEN ISSUED.

Lateral Holes

Sec: 19 TWP: 19N RGE: 7W County: KINGFISHER

NW NW NW NE

109 FNL 2589 FWL of 1/4 SEC

Depth of Deviation: 7327 Radius of Turn: 493 Direction: 2 Total Length: 4588

Measured Total Depth: 12660 True Vertical Depth: 7800 End Pt. Location From Release, Unit or Property Line: 109

FOR COMMISSION USE ONLY

Status: Accepted

1143570