Oklahoma Corporation Commission Oil & Gas Conservation Division Post Office Box 52000 Oklahoma City, Oklahoma 73152-2000

Rule 165: 10-3-25

API No.: 35073263420000 **Completion Report** Spud Date: November 13, 2018

OTC Prod. Unit No.: 073-224832 Drilling Finished Date: December 06, 2018

1st Prod Date: January 06, 2019

Amended Completion Date: January 04, 2019

Amend Reason: OCC - CORRECTION **Drill Type: HORIZONTAL HOLE**

Well Name: SHADRACH 19-09-05 1MH Purchaser/Measurer: GSPM

First Sales Date: 01/18/2019 Location:

KINGFISHER 32 20N 9W SE SW SE SE 250 FSL 800 FEL of 1/4 SEC

Latitude: 36.16009654 Longitude: -98.17793963 Derrick Elevation: 1180 Ground Elevation: 1155

CHISHOLM OIL & GAS OPERATING LLC 23991 Operator:

> 6100 S YALE AVE STE 1700 TULSA, OK 74136-1921

	Completion Type						
Х	Single Zone						
	Multiple Zone						
	Commingled						

Location Exception
Order No
699461

Increased Density					
Order No					
There are no Increased Density records to display.					

Casing and Cement							
Туре	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
CONDUCTOR	20			80			SURFACE
SURFACE	9 5/8	40	J-55	426		225	SURFACE
PRODUCTION	7	29	P-110	8381		280	5091

				Liner				
Туре	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
LINER	4 1/2	13.5	P-110	5138	0	0	8121	13259

Total Depth: 13259

Packer					
Depth	Brand & Type				
8381 - 13259	SWELL PACKERS OPEN HOLE COMPLETION				

Plug					
Depth	Plug Type				
There are no Plug records to display.					

Initial Test Data

January 24, 2020 1 of 3

Test [te Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut- In Pressure	Choke Size	Flow Tubing Pressure
Feb 03,	019 MISSISSIPPI	AN 337	40	3524	10456	2376	ESP		64/64	1160

Completion and Test Data by Producing Formation

Formation Name: MISSISSIPPIAN

Code: 359MSSP

Class: OIL

Spacing Orders					
Order No	Unit Size				
687922	640				

Perforated Intervals						
From To						
There are no Perf. Intervals records to display.						

Acid Volumes

47,333 GAL 15% HCL

Fracture Treatments

729,711 LBS 100 MESH SAND; 4,086,584 LBS 30/50 SAND

12,413,341 GAL SLICKWATER

Formation	Тор
CHECKERBOARD	6455
BIG LIME	6622
OSWEGO 3	6774
VERDIGRIS	6859
PINK LIME	6966
CHESTER	7188
MANNING	7305
MISSISSIPPIAN	7570
OSAGE	7602
OSAGE 7	8008
OSAGE 7B	8059

Were open hole logs run? No Date last log run:

Were unusual drilling circumstances encountered? No Explanation:

Other Remarks

OCC – THIS IS AN OPEN HOLE COMPLETION FROM THE BOTTOM OF THE 7" AT 8381' TO TERMINUS AT 13259', THE 4 1/2 LINER IS NOT CEMENTED.

Lateral Holes

Sec: 5 TWP: 19N RGE: 9W County: KINGFISHER

SE SW SE SE

176 FSL 845 FEL of 1/4 SEC

Depth of Deviation: 7590 Radius of Turn: 508 Direction: 180 Total Length: 4871

Measured Total Depth: 13259 True Vertical Depth: 8132 End Pt. Location From Release, Unit or Property Line: 176

FOR COMMISSION USE ONLY

1142205

January 24, 2020 2 of 3

Status: Accepted

January 24, 2020 3 of 3