

Oklahoma Corporation Commission
Oil & Gas Conservation Division
Post Office Box 52000
Oklahoma City, Oklahoma 73152-2000
Rule 165: 10-3-25

Form 1002A

API No.: 35017253280001

Completion Report

Spud Date: November 30, 2018

OTC Prod. Unit No.: 017-225629-0-0000

Drilling Finished Date: March 28, 2019

1st Prod Date: June 05, 2019

Amended

Completion Date: May 24, 2019

Amend Reason: RE-CLASS TO GAS

Drill Type: HORIZONTAL HOLE

Well Name: SUMMER MOON 8-5-12N-8W 5WHX

Purchaser/Measurer: ANCOVA

Location: CANADIAN 17 12N 8W
SW NW NE NE
351 FNL 1173 FEL of 1/4 SEC
Latitude: 35.521522 Longitude: -98.06512
Derrick Elevation: 1440 Ground Elevation: 1421

First Sales Date: 6/6/19

Operator: PALOMA OPERATING CO INC 23932

1100 LOUISIANA ST STE 5100
HOUSTON, TX 77002-5220

Completion Type		Location Exception		Increased Density	
X	Single Zone	Order No		Order No	
	Multiple Zone	712164		690393	
	Commingle			690394	

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
SURFACE	13.375	54.5	J-55	1478		875	SURFACE
INTERMEDIATE	9.625	40	P-110	9870		690	6614
PRODUCTION	5.5	23	P-110	21835		3150	5947

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
There are no Liner records to display.								

Total Depth: 21878

Packer		Plug	
Depth	Brand & Type	Depth	Plug Type
11569	VS-1X	There are no Plug records to display.	

Initial Test Data

Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut-In Pressure	Choke Size	Flow Tubing Pressure
Apr 11, 2022	WOODFORD	97	54	1749	18031	87	FLOWING	981	36/64	419

Completion and Test Data by Producing Formation

Formation Name: WOODFORD

Code: 319WDFD

Class: GAS

Spacing Orders

Order No

Unit Size

677774

640 (5)

663300

640 (8)

712163

MULTIUNIT

Perforated Intervals

From

To

11682

21693

Acid Volumes

NO ADDITIONAL TREATMENT

Fracture Treatments

NO ADDITIONAL TREATMENT

Formation	Top
WOODFORD	11406

Were open hole logs run? No

Date last log run:

Were unusual drilling circumstances encountered? No

Explanation:

Other Remarks

OCC - THE LOCATION EXCEPTION ORDER 712164 INCLUDES EXCEPTION TO OAC 165:10-3-28(C)(2)(B)

Lateral Holes

Sec: 5 TWP: 12N RGE: 8W County: CANADIAN

NW NE NE NE

65 FNL 558 FEL of 1/4 SEC

Depth of Deviation: 10951 Radius of Turn: 583 Direction: 2 Total Length: 10011

Measured Total Depth: 21878 True Vertical Depth: 11443 End Pt. Location From Release, Unit or Property Line: 65

FOR COMMISSION USE ONLY

Status: Accepted

1147863

5/1/22

Oklahoma Corporation Commission
Oil & Gas Conservation Division
Post Office Box 52000
Oklahoma City, Oklahoma 73152-2000
Rule 165: 10-3-25

Form 1002A

1002A
Addendum

API No.: 35017253280001

Completion Report

Spud Date: November 30, 2018

OTC Prod. Unit No.: 017-225629-0-0000

Drilling Finished Date: March 28, 2019

Amended

1st Prod Date: June 05, 2019

Amend Reason: RE-CLASS TO GAS

Completion Date: May 24, 2019

Drill Type: HORIZONTAL HOLE

Well Name: SUMMER MOON 8-5-12N-8W 5WHX

Purchaser/Measurer: ANCOVA

Location: CANADIAN 17 12N 8W
SW NW NE NE
351 FNL 1173 FEL of 1/4 SEC
Latitude: 35.521522 Longitude: -98.06512
Derrick Elevation: 1440 Ground Elevation: 1421

First Sales Date: 6/6/19

Operator: PALOMA OPERATING CO INC 23932

1100 LOUISIANA ST STE 5100
HOUSTON, TX 77002-5220

Multifruit:

Sec. 17 (54): -0-

Sec. 8: 51% 225629 I

Sec. 5: 49% 225629A I

Completion Type	
X	Single Zone
	Multiple Zone
	Commingled

Location Exception	
Order No	
712164	

Increased Density	
Order No	
690393	
690394	

MUFO 712163
SA 705843 (Sec. 8)
SA 705842 (Sec. 5)

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
SURFACE	13.375	54.5	J-55	1478		875	SURFACE
INTERMEDIATE	9.625	40	P-110	9870		690	6614
PRODUCTION	5.5	23	P-110	21835		3150	5947

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
There are no Liner records to display.								

Total Depth: 21878

Packer	
Depth	Brand & Type
11569	VS-1X

Plug	
Depth	Plug Type
There are no Plug records to display.	

Initial Test Data

~~8/1/22~~ 4/11/22 31900FD 981