

Oklahoma Corporation Commission
Oil & Gas Conservation Division
Post Office Box 52000
Oklahoma City, Oklahoma 73152-2000
Rule 165: 10-3-25

Form 1002A

API No.: 35051246280000

Completion Report

Spud Date: June 27, 2019

OTC Prod. Unit No.: 051-226786-0-0000

Drilling Finished Date: July 20, 2019

1st Prod Date: March 24, 2020

Completion Date: February 22, 2020

Drill Type: HORIZONTAL HOLE

Min Gas Allowable: Yes

Well Name: HEALEY 6-13-12XHW

Purchaser/Measurer: ENABLE MIDSTREAM

Location: GRADY 13 7N 6W
SW SE SE NE
2387 FNL 411 FEL of 1/4 SEC
Latitude: 35.081054 Longitude: -97.777243
Derrick Elevation: 1174 Ground Elevation: 1147

First Sales Date: 3/4/2020

Operator: CONTINENTAL RESOURCES INC 3186
PO BOX 269000
20 N BROADWAY AVE
OKLAHOMA CITY, OK 73126-9000

Completion Type		Location Exception		Increased Density	
X	Single Zone	Order No		Order No	
	Multiple Zone	698894		694614	
	Commingled			694827	

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
SURFACE	9.625	40	J-55	1516		460	SURFACE
PRODUCTION	5.5	23	P-110	19485		2540	483

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
There are no Liner records to display.								

Total Depth: 19505

Packer		Plug	
Depth	Brand & Type	Depth	Plug Type
There are no Packer records to display.		There are no Plug records to display.	

Initial Test Data

Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut-In Pressure	Choke Size	Flow Tubing Pressure
Mar 30, 2020	MISSISSIPPI LIME / WOODFORD	129	47.4	363	2814	4274	FLOWING	1577	38/64	559

Completion and Test Data by Producing Formation

Formation Name: MISSISSIPPI LIME

Code: 351MSSLM

Class: OIL

Spacing Orders

Order No	Unit Size
163257	640
699619	MULTIUNIT

Perforated Intervals

From	To
15895	16829

Acid Volumes

1392 BBLS 15% HCl

Fracture Treatments

329,420 BBLS FLUID & 16,711,213 LBS OF SAND

Formation Name: MISSISSIPPI LIME / WOODFORD

Code:

Class: OIL

Formation Name: WOODFORD

Code: 319WDFD

Class: OIL

Spacing Orders

Order No	Unit Size
567315	640
582004	640
699619	MULTIUNIT

Perforated Intervals

From	To
12321	14249
14278	15743
16859	19313

Acid Volumes

TREATED WITH MISSISSIPPI LIME

Fracture Treatments

TREATED WITH MISSISSIPPI LIME

Formation	Top
WOODFORD	12321
MISSISSIPPI LIME	11779

Were open hole logs run? No

Date last log run:

Were unusual drilling circumstances encountered? No

Explanation:

Other Remarks

OCC - THIS DOCUMENT IS ACCEPTED BASED ON THE DATA SUBMITTED NEITHER THE FINAL LOCATION EXCEPTION NOR THE FINAL MULTIUNIT ORDERS HAVE BEEN ISSUED.

Lateral Holes

Sec: 12 TWP: 7N RGE: 6W County: GRADY

NW NE NE NE

50 FNL 394 FEL of 1/4 SEC

Depth of Deviation: 11763 Radius of Turn: 360 Direction: 1 Total Length: 7184

Measured Total Depth: 19505 True Vertical Depth: 11934 End Pt. Location From Release, Unit or Property Line: 50

FOR COMMISSION USE ONLY

Status: Accepted

1145141