

Oklahoma Corporation Commission
Oil & Gas Conservation Division
Post Office Box 52000
Oklahoma City, Oklahoma 73152-2000
Rule 165: 10-3-25

Form 1002A

API No.: 35063248730000

Completion Report

Spud Date: December 21, 2018

OTC Prod. Unit No.: 063-225933-0-0000

Drilling Finished Date: February 28, 2019

1st Prod Date: August 18, 2019

Completion Date: August 18, 2019

Drill Type: HORIZONTAL HOLE

Well Name: JANA 5-3/10/15H

Purchaser/Measurer: NEXTERA ENERGY POWER
MARKETING

First Sales Date: 8/18/2019

Location: HUGHES 3 6N 10E
SE NW NE SW
2150 FSL 1798 FWL of 1/4 SEC
Latitude: 35.02000014 Longitude: -96.24126923
Derrick Elevation: 890 Ground Elevation: 867

Operator: TRINITY OPERATING USG LLC 23879

1717 S BOULDER AVE STE 201
TULSA, OK 74119-4842

Completion Type		Location Exception		Increased Density	
X	Single Zone	Order No		Order No	
	Multiple Zone	694190		690782	
	Commingled			678099	
				680089	

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
SURFACE	13.375	48	H-40	211		165	SURFACE
INTERMEDIATE	9.625	36	J-55	3395		225	1780
PRODUCTION	5.5	20	P-110	17162		1950	2796

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
There are no Liner records to display.								

Total Depth: 17230

Packer	
Depth	Brand & Type
There are no Packer records to display.	

Plug	
Depth	Plug Type
There are no Plug records to display.	

Initial Test Data

Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut-In Pressure	Choke Size	Flow Tubing Pressure
Aug 31, 2019	WOODFORD			3115		356	FLOWING		FULL	760

Completion and Test Data by Producing Formation

Formation Name: WOODFORD

Code: 319WDFD

Class: GAS

Spacing Orders

Order No	Unit Size
671656	640
694189	MULTIUNIT
628077	640
629167	640

Perforated Intervals

From	To
5733	17040

Acid Volumes

67,998 TOTAL GALS ACID

Fracture Treatments

16,428,216 TOTAL GALS SLICKWATER
12,318,840 TOTAL LBS SAND

Formation	Top
HARTSHORNE	3009
ATOKA	3082
WAPANUKA	4090
UNION VALLEY	4410
CROMWELL	4490
JEFFERSON	4655
FALSE CANEY	4870
CANEY	5025
MAYES	5239
WOODFORD	5346

Were open hole logs run? No

Date last log run:

Were unusual drilling circumstances encountered? No

Explanation:

Other Remarks

OCC - BOTTOM HOLE LOCATION 1 FSL = 0 FSL THE PROGRAM WOULD NOT ACCEPT THE ACTUAL FOOTAGE OF 0 FSL.

OCC – THIS DOCUMENT IS ACCEPTED BASED ON DATA SUBMITTED, THE FINAL LOCATION EXCEPTION FOR ORDER 694190 HAS NOT BEEN ISSUED.

OCC - THIS DOCUMENT IS ACCEPTED BASED ON DATA SUBMITTED, THE FINAL INCREASE DENSITY ORDER FOR 678099 HAS NOT BEEN ISSUED.

OCC – THIS DOCUMENT IS ACCEPTED BASED ON DATA SUBMITTED, THE FINAL MULTIUNIT HORIZONTAL WELL FOR ORDER 694189 HAS NOT BEEN ISSUED.

Lateral Holes

Sec: 15 TWP: 6N RGE: 10E County: HUGHES

SE SW SW SW

1 FSL 598 FWL of 1/4 SEC

Depth of Deviation: 5186 Radius of Turn: 361 Direction: 190 Total Length: 11476

Measured Total Depth: 17230 True Vertical Depth: 5557 End Pt. Location From Release, Unit or Property Line: 1

FOR COMMISSION USE ONLY

1144093

Status: Accepted