

Oklahoma Corporation Commission
Oil & Gas Conservation Division
Post Office Box 52000
Oklahoma City, Oklahoma 73152-2000
Rule 165: 10-3-25

Form 1002A

API No.: 35081243140000

Completion Report

Spud Date: August 23, 2019

OTC Prod. Unit No.:

Drilling Finished Date: August 28, 2019

1st Prod Date:

Completion Date: September 17, 2019

Drill Type: STRAIGHT HOLE

Well Name: SEITSINGER 1-25

Purchaser/Measurer:

Location: LINCOLN 25 16N 4E
C N2 NE SE
330 FNL 660 FEL of 1/4 SEC
Latitude: 35.8322254 Longitude: -96.8250063
Derrick Elevation: 928 Ground Elevation: 923

First Sales Date:

Operator: BARBER OIL LLC 24363

8801 S YALE AVE STE 150
TULSA, OK 74137-3575

Completion Type		Location Exception		Increased Density	
X	Single Zone	Order No		Order No	
	Multiple Zone	NONE		NONE	
	Commingle				

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
SURFACE	8.625	24	J-55	870		440	SURFACE
PRODUCTION	5.5	17	J-55	3670		130	2700

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
There are no Liner records to display.								

Total Depth: 3680

Packer		Plug	
Depth	Brand & Type	Depth	Plug Type
There are no Packer records to display.		3535	CIBP

Initial Test Data										
Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut-In Pressure	Choke Size	Flow Tubing Pressure
There are no Initial Data records to display.										

Completion and Test Data by Producing Formation

Formation Name: PRUE

Code: 404PRUE

Class: DRY

Spacing Orders

Order No	Unit Size
NONE	

Perforated Intervals

From	To
3553	3562

Acid Volumes

500 GALLONS 10% HCL

Fracture Treatments

NONE

Formation Name: OSWEGO

Code: 404OSWG

Class: DRY

Spacing Orders

Order No	Unit Size
NONE	

Perforated Intervals

From	To
3474	3504

Acid Volumes

1,000 GALLONS 15% HCL

Fracture Treatments

NONE

Formation	Top
OSWEGO	3472
PRUE	3550

Were open hole logs run? Yes

Date last log run: August 29, 2019

Were unusual drilling circumstances encountered? No

Explanation:

Other Remarks

There are no Other Remarks.

FOR COMMISSION USE ONLY

1143919

Status: Accepted

PLEASE TYPE OR USE BLACK INK ONLY

FORMATION RECORD

Give formation names and tops, if available, or descriptions and thickness of formations drilled through. Show intervals cored or drillstem tested.

LEASE NAME SeitsingerWELL NO. 25-Jan

NAMES OF FORMATIONS	TOP
Oswego	3,472'
Prue	3,550'

FOR COMMISSION USE ONLY

ITD on file ☐ YES ☐ NO

APPROVED _____ DISAPPROVED _____

2) Reject Codes

Were open hole logs run? ☒ yes ☐ no

Date Last log was run

8/29/2019Was CO₂ encountered? ☐ yes ☒ no

at what depths? _____

Was H₂S encountered? ☐ yes ☒ no


at what depths? _____

Were unusual drilling circumstances encountered? ☐ yes ☒ no

If yes, briefly explain below

Other remarks:

640 Acres




If more than three drainholes are proposed, attach a separate sheet indicating the necessary information.

Direction must be stated in degrees azimuth. Please note, the horizontal drainhole and its end point must be located within the boundaries of the lease or spacing unit.

Directional surveys are required for all drainholes and directional wells.

640 Acres



BOTTOM HOLE LOCATION FOR DIRECTIONAL HOLE

SEC	TWP	RGE	COUNTY
Spot Location	1/4	1/4	1/4
Measured Total Depth	True Vertical Depth	Feet From 1/4 Sec Lines	FSL
			FWL
BHL From Lease, Unit, or Property Line:			

BOTTOM HOLE LOCATION FOR HORIZONTAL HOLE: (LATERALS)

LATERAL #1

SEC	TWP	RGE	COUNTY
Spot Location	1/4	1/4	1/4
Depth of Deviation	Radius of Turn	Direction	Total Length
Measured Total Depth	True Vertical Depth	BHL From Lease, Unit, or Property Line:	

LATERAL #2

SEC	TWP	RGE	COUNTY
Spot Location	1/4	1/4	1/4
Depth of Deviation	Radius of Turn	Direction	Total Length
Measured Total Depth	True Vertical Depth	BHL From Lease, Unit, or Property Line:	

LATERAL #3

SEC	TWP	RGE	COUNTY
Spot Location	1/4	1/4	1/4
Depth of Deviation	Radius of Turn	Direction	Total Length
Measured Total Depth	True Vertical Depth	BHL From Lease, Unit, or Property Line:	