

Oklahoma Corporation Commission
Oil & Gas Conservation Division
Post Office Box 52000
Oklahoma City, Oklahoma 73152-2000
Rule 165: 10-3-25

Form 1002A

API No.: 35073264270000

Completion Report

Spud Date: January 30, 2019

OTC Prod. Unit No.: 073-225156

Drilling Finished Date: February 18, 2019

1st Prod Date: March 12, 2019

Completion Date: March 12, 2019

Drill Type: HORIZONTAL HOLE

Min Gas Allowable: Yes

Well Name: DR. MOBLEY 18-09-09 1MH

Purchaser/Measurer: GSPM

Location: KINGFISHER 4 18N 9W
N2 SW SW
350 FSL 330 FWL of 1/4 SEC
Latitude: 36.05864144 Longitude: -98.17342388
Derrick Elevation: 1161 Ground Elevation: 1140

First Sales Date: 03/12/2019

Operator: CHISHOLM OIL & GAS OPERATING LLC 23991

6100 S YALE AVE STE 1700
TULSA, OK 74136-1921

Completion Type		Location Exception		Increased Density	
X	Single Zone	Order No		Order No	
	Multiple Zone	692972		There are no Increased Density records to display.	
	Commingled				

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
CONDUCTOR	20			102			SURFACE
SURFACE	9 5/8	40	J-55	450		250	SURFACE
PRODUCTION	7	29	P-110	8810		275	5540

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
LINER	4 1/2	13.5	P-110	5208	0	385	8493	13701

Total Depth: 13703

Packer	
Depth	Brand & Type
There are no Packer records to display.	

Plug	
Depth	Plug Type
There are no Plug records to display.	

Initial Test Data

Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut-In Pressure	Choke Size	Flow Tubing Pressure
Apr 07, 2019	MISSISSIPPIAN	67	35	63	940	2870	ESP		64/64	80

Completion and Test Data by Producing Formation

Formation Name: MISSISSIPPIAN		Code: 359MSSP		Class: OIL	
Spacing Orders		Perforated Intervals			
Order No	Unit Size	From	To		
635762	640	8828	13619		
Acid Volumes		Fracture Treatments			
37,716 GAL 15% HCL		9,282,173 LBS SAND 100 MESH SAND; 11,453,778 GAL SLICKWATER			

Formation	Top
CHECKERBOARD	6667
BIG LIME	6869
OSWEGO 3	7022
VERDIGRIS	7114
PINK LIME	7233
CHESTER	7452
MANNING	7742
MISSISSIPPIAN	8034
OSAGE	8069
OSAGE 5	8176
OSAGE 6	8343
OSAGE 6B	8428

Were open hole logs run? No

Date last log run:

Were unusual drilling circumstances encountered? No

Explanation:

Other Remarks
OCC – THIS DOCUMENT IS ACCEPTED BASED ON DATA SUBMITTED, THE FINAL LOCATION EXCEPTION FOR ORDER 692972 HAS NOT BEEN ISSUED.

Lateral Holes
Sec: 9 TWP: 18N RGE: 9W County: KINGFISHER SE SW SW SW 175 FSL 388 FWL of 1/4 SEC Depth of Deviation: 8051 Radius of Turn: 500 Direction: 179 Total Length: 4867 Measured Total Depth: 13703 True Vertical Depth: 8507 End Pt. Location From Release, Unit or Property Line: 175

FOR COMMISSION USE ONLY

