## Oklahoma Corporation Commission Oil & Gas Conservation Division Post Office Box 52000 Oklahoma City, Oklahoma 73152-2000

Rule 165: 10-3-25

API No.: 35073262950000 **Completion Report** Spud Date: October 06, 2018

OTC Prod. Unit No.: 073-224740 Drilling Finished Date: November 21, 2018

1st Prod Date: December 26, 2018

Completion Date: December 26, 2018

**Drill Type: HORIZONTAL HOLE** 

Min Gas Allowable: Yes

First Sales Date: 12/26/2018

Well Name: ISAAC C. PARKER 18-09-16 1H Purchaser/Measurer: GSPM

Location: KINGFISHER 9 18N 9W

SW SE SE SW 190 FSL 2035 FWL of 1/4 SEC

Latitude: 36.04377434 Longitude: -98.16761805 Derrick Elevation: 1163 Ground Elevation: 1141

Operator: CHISHOLM OIL & GAS OPERATING LLC 23991

> 6100 S YALE AVE STE 1700 TULSA, OK 74136-1921

Completion Type					
Х	Single Zone				
	Multiple Zone				
	Commingled				

Location Exception
Order No
697754

Increased Density					
Order No					
There are no Increased Density records to display.					

Casing and Cement							
Туре	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
CONDUCTOR	20			87			SURFACE
SURFACE	9 5/8	40	J-55	445		225	SURFACE
PRODUCTION	7	29	P-110	8854		280	5667

				Liner				
Туре	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
LINER	4 1/2	13.5	P-110	5176	0	0	8547	13723

Total Depth: 13723

Packer					
Depth	Brand & Type				
8854 - 13723	SWELL PACKERS OPEN HOLE COMPLETION				

Plug					
Depth Plug Type					
There are no Plug records to display.					

**Initial Test Data** 

October 25, 2019 1 of 3

Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut- In Pressure	Choke Size	Flow Tubing Pressure
Jan 27, 2019	MISSISSIPPIAN (LESS CHESTER)	135	40	92	681	3195	ESP		64/64	120

### **Completion and Test Data by Producing Formation**

Formation Name: MISSISSIPPIAN (LESS

CHESTER)

Code: 359MSNLC

Class: OIL

Spacing Orders				
Order No	Unit Size			
683349	640			

Perforated Intervals					
From To					
There are no Perf. Intervals records to display.					

**Acid Volumes** 

46,742 GAL 15% HCL

Fracture Treatments
714,492 LBS 100 MESH SAND; 4,116,580 LBS 30/50

SAND 11,954,191 GAL SLICKWATER

Formation	Тор
CHECKERBOARD	6682
BIG LIME	6887
OSWEGO 3	7035
VERDIGRIS	7147
PINK LIME	7258
CHESTER	7467
MANNING	7720
MISSISSIPPIAN (LESS CHESTER)	8067
OSAGE	8122
OSAGE 4	8177
OSAGE 6	8392
OSAGE 6B	8477

Were open hole logs run? No Date last log run:

Were unusual drilling circumstances encountered? No Explanation:

#### Other Remarks

OCC – THIS IS AN OPEN HOLE COMPLETION FROM THE BOTTOM OF THE 7" AT 8854' TO TERMINUS AT 13723', THE 4 1/2 LINER IS NOT CEMENTED.

#### **Lateral Holes**

Sec: 16 TWP: 18N RGE: 9W County: KINGFISHER

SW SW SE SW

175 FSL 1465 FWL of 1/4 SEC

Depth of Deviation: 8091 Radius of Turn: 491 Direction: 182 Total Length: 4860

Measured Total Depth: 13723 True Vertical Depth: 8546 End Pt. Location From Release, Unit or Property Line: 175

October 25, 2019 2 of 3

# FOR COMMISSION USE ONLY

1142203

Status: Accepted

October 25, 2019 3 of 3