Oklahoma Corporation Commission Oil & Gas Conservation Division Post Office Box 52000 Oklahoma City, Oklahoma 73152-2000 Rule 165: 10-3-25

Completion Report Spud Date: December 20, 1935

First Sales Date:

OTC Prod. Unit No.: 123-028637-0-1363 Drilling Finished Date: February 21, 1936

1st Prod Date:

Amended

API No.: 35123023220003

Completion Date: February 21, 1936 Amend Reason: CONVERTED TO INJECTION WELL

Recomplete Date: March 21, 2018

Drill Type: STRAIGHT HOLE

SERVICE WELL

Well Name: EAST FITTS UNIT(E.H. MOORE - MACK 2) 34-2 Purchaser/Measurer:

PONTOTOC 28 2N 7E C SE NW SE Location:

1650 FSL 990 FWL of 1/4 SEC Latitude: 34.611921 Longitude: -96.5701 Derrick Elevation: 705 Ground Elevation: 695

CITATION OIL & GAS CORPORATION 14156 Operator:

> 14077 CUTTEN RD HOUSTON, TX 77069-2212

| Completion Type | | | | | | | |
|-----------------|-------------|--|--|--|--|--|--|
| Х | Single Zone | | | | | | |
| Multiple Zone | | | | | | | |
| | Commingled | | | | | | |

| Location Exception | | | | | |
|---|--|--|--|--|--|
| Order No | | | | | |
| There are no Location Exception records to display. | | | | | |

| Increased Density |
|--|
| Order No |
| There are no Increased Density records to display. |

| Casing and Cement | | | | | | | | |
|-------------------|--|-------|--|---|--|------|-------|--|
| Туре | Type Size Weight Grade Feet PSI SAX Top of CMT | | | | | | | |
| SURFACE | 13 3/8" | 54.5# | | 0 | | 400 | 0 | |
| PRODUCTION | 8 5/8" | 32# | | 0 | | 1000 | 2400' | |

| Liner | | | | | | | | |
|-------|---|-------|------|------|---|-----|-----|------|
| Туре | Size Weight Grade Length PSI SAX Top Depth Bottom Dep | | | | | | | |
| LINER | 5.5" | 15.5# | J-55 | 3190 | 0 | 550 | 660 | 3850 |

Total Depth: 4295

| Packer | | | | | | |
|--------|--------------|--|--|--|--|--|
| Depth | Brand & Type | | | | | |
| 3353 | AS1-X | | | | | |

| Plug | | | | | | |
|-------|---------------------------|--|--|--|--|--|
| Depth | Plug Type | | | | | |
| 3830 | CIBP + PEA GRAVEL & CEMEN | | | | | |

Initial Test Data

February 06, 2020 1 of 3

| Test Date | Formation | Oil BBL/Day | Oil-Gravity (API) | Gas MCF/Day | Gas-Oil Ratio Cu FT/BBL | Water BBL/Day | Pumpin or Flowing | Initial Shut- In Pressure | Choke Size | Flow Tubin Pressure |
|--|----------------|----------------|----------------------|--|----------------------------|------------------|----------------------|---------------------------------|---------------|------------------------|
| | | Cor | npletion and | l d Test Data l | l by Producing F | ormation | | | | |
| | Formation Name | VIOLA | | Code: 20 | 2VIOL | С | lass: INJ | | | |
| | Spacing Ord | ers | | | Perforated I | ntervals | | | | |
| Orde | r No | Unit Size | | Fron | n | 1 | o | | | |
| 793 | 79303 | | | 3428 | 3 | 38 | 305 | | | |
| | Acid Volum | es | | Fracture Treatments | | | | | | |
| There are no Acid Volume records to display. | | | | There are no Fracture Treatments records to display. | | | | | | |
| | Formation Name | HUNTON | | Code: 26 | 9HNTN | C | lass: INJ | | | |
| | Spacing Ord | ers | | | Perforated I | ntervals | | | | |
| Orde | r No | Unit Size | $\neg\vdash$ | Fron | n | 7 | ō | \dashv | | |
| | | | — ⊢ | 0.40 | 3425 3428 | | | | | |
| 793 | 303 | UNIT | | 3428 | · | 34 | 128 | | | |
| 793 105 | | UNIT | | 342 | | 34 | H28 | | | |
| | | UNIT | | 342 | Fracture Tre | | | | | |
| 105 | 568 | UNIT | | | | atments | | | | |

| Formation | Тор |
|--------------|------|
| UNION VALLEY | 2447 |
| CROMWELL | 2569 |
| CANEY | 2589 |
| HUNTON | 3179 |
| VIOLA | 3566 |
| BROMIDE | 3824 |

Were open hole logs run? Yes Date last log run: March 21, 1988

Were unusual drilling circumstances encountered? No Explanation:

Other Remarks

OCC - REP BILL WELDON APPROVED MIT ON LOCATION.

OCC- ORIGINAL VIOLA PERFORATIONS 3566' - 3805'

HUNTON PERFORATIONS 3425' - 3428'

OCC - INJECTION PERFORATIONS 3428 - 3805(VIOLA) CONVERTED 3/21/2018 PERMIT NUMBER 1801690017

OCC - UNITIZATION ORDER 79303 FOR EAST FITTS UNIT (BASE OF THE WAPANUCKA TO THE BASE OF THE UPPER SIMPSON FORMATIONS)

OCC - UNITIZATION ORDER 10568 EAST FITTS UNIT (HUNTON LIME ZONE)

OCC- ORIGINAL TOTAL DEPTH 4295' PLUG BACK TOTAL DEPTH 3850'

February 06, 2020 2 of 3

FOR COMMISSION USE ONLY

1139298

Status: Accepted

February 06, 2020 3 of 3