Oklahoma Corporation Commission Oil & Gas Conservation Division Post Office Box 52000 Oklahoma City, Oklahoma 73152-2000

Rule 165: 10-3-25

API No.: 35043237570000 **Completion Report** Spud Date: August 28, 2022

OTC Prod. Unit No.: 043- 228285-0-0000 Drilling Finished Date: September 26, 2022

1st Prod Date: October 31, 2022

Completion Date: November 01, 2022 Amend Reason: CORRECT FIRST PRODUCTION DATE

HORIZONTAL HOLE

Well Name: RJT TATE RANCH 1-22MH Purchaser/Measurer: DCP OPERATING

First Sales Date: 11/01/2022 DEWEY 22 18N 15W Location:

Amended

Drill Type:

SE SW SW SW 207 FSL 655 FWL of 1/4 SEC

Latitude: 36.015014 Longitude: -98.794114

Derrick Elevation: 1869 Ground Elevation: 1848

CRAWLEY PETROLEUM CORPORATION 7980 Operator:

> 105 N HUDSON AVE STE 800 **OKLAHOMA CITY, OK 73102-4803**

Completion Type					
Χ	Single Zone				
	Multiple Zone				
	Commingled				

Location Exception
Order No
731526

Increased Density					
Order No					
There are no Increased Density records to display.					

		Cas	sing and Ceme	nt			
Туре	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
SURFACE	9 5/8	36	J55 LTC	1512		400	SURFACE
INTERMEDIATE	7	26	P110 PHC	9027		375	SURFACE

				Liner				
Туре	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
LINER	4 1/2	13.5	HCP110	5746	0	505	8842	14588

Total Depth: 14638

Packer					
Depth	Brand & Type				
There are no Packer records to display.					

Plug					
Depth	Plug Type				
There are no Plug records to display.					

				Initial Tes	t Data					
Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut- In Pressure	Choke Size	Flow Tubing Pressure
Nov 03, 2022	MISSISSIPPIAN (LESS CHESTER)	79	52	1841	23304	1371	FLOWING	1800	24/64	2200

February 21, 2023 1 of 2

Completion and Test Data by Producing Formation

Formation Name: MISSISSIPPIAN (LESS

CHESTER)

Code: 359MSNLC

Class: GAS

Spacing Orders						
Order No	Unit Size					
725722	640					

Perforated Intervals					
From	То				
10939	14475				

Acid Volumes 54,000 GAL 15% HCL

Fracture Treatments 1,884,320# 100M REGIONAL SAND 2,368,680# 30/50 WHITE SAND 872,240# 40/70 WHITE SAND 177,000 GAL SLICKWATER

Formation	Тор
MISSISSIPPIAN (LESS CHESTER)	10500

Were open hole logs run? No Date last log run:

Were unusual drilling circumstances encountered? No Explanation:

Other Remarks

There are no Other Remarks.

Lateral Holes

Sec: 22 TWP: 18N RGE: 15W County: DEWEY

SE NW NW NW

635 FNL 613 FWL of 1/4 SEC

Depth of Deviation: 9875 Radius of Turn: 1179 Direction: 358 Total Length: 3534

Measured Total Depth: 14638 True Vertical Depth: 10546 End Pt. Location From Release, Unit or Property Line: 613

FOR COMMISSION USE ONLY

1149645

Status: Accepted

February 21, 2023 2 of 2