Oklahoma Corporation Commission Oil & Gas Conservation Division Post Office Box 52000 Oklahoma City, Oklahoma 73152-2000 Rule 165: 10-3-25

API No.: 35019263800000

OTC Prod. Unit No.: 019-227170-0-0000

Completion Report

Drilling Finished Date: May 24, 2020 1st Prod Date: April 01, 2021 Completion Date: March 30, 2021

Spud Date: April 07, 2020

Drill Type: HORIZONTAL HOLE

Well Name: ESSEX 1R-12-13-24XHW

- Location: CARTER 12 2S 3W S2 NE SE SE 810 FSL 330 FEL of 1/4 SEC Latitude: 34.392825 Longitude: -97.458252 Derrick Elevation: 1036 Ground Elevation: 1009
- Operator: CONTINENTAL RESOURCES INC 3186 PO BOX 268870 20 N BROADWAY AVE OKLAHOMA CITY, OK 73126-8870

Purchaser/Measurer: ENABLE MIDSTREAM

First Sales Date: 04/06/2021

Completion Type		Location Exception	Increased Density				
Х	Single Zone	Order No	Order No				
	Multiple Zone	718808	709651				
	Commingled						

E ATE	Size 13.38 9.63	Weight 55.00 40	Grade J-55 P-110	15	538 765	PSI	SAX 820 1085	Top of CMT SURFACE 826
ATE				_				
	9.63	40	P-110	10	765		1085	826
211	-						1085 8	
PRODUCTION		23	P-110ICY	22	156		2690	9340
Liner								
ze We	eight	Grade	Length	PSI	SAX	Тор	Depth	Bottom Dept

Total Depth: 22156

Pac	ker	Plug				
Depth Brand & Type		Depth	Plug Type			
There are no Packe	r records to display.	There are no Plug records to display.				

Initial Test Data

Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)			Water Pumpin or BBL/Day Flowing		Initial Shut- In Pressure	Choke Size	Flow Tubing Pressure
Apr 14, 2021 WOODFORD 45		49	5643 125404		7052	FLOWING	2620	42/64	2540	
		Co	mpletion and	I Test Data I	by Producing F	ormation				
Formation Name: WOODFORD				Code: 319WDFD Class: GAS						
Spacing Orders					Perforated I					
Order No Unit Size			From			1	Го			
696736 640		640		12112 21981						
709152 640 709153 640 718807 MULTIUNIT					•					
	Acid Volumes		Fracture Treatments							
There are no Acid Volume records to display.				474,975 BARRELS FLUID 24,120,976 POUNDS OF SAND						
Formation Top			Гор	Were open hole logs run? No						
WOODFORD	MD			12112 C	Date last log run:					
WOODFORD TVD				11890	0 Were unusual drilling circumstances encountered? No					

Were unusual drilling circumstances encountered? No Explanation:

Other Remarks	
There are no Other Remarks.]

 Lateral Holes

 Sec: 24 TWP: 2S RGE: 3W County: CARTER

 SW
 SE

 NE
 SE

 1562 FSL
 423 FEL of 1/4 SEC

 Depth of Deviation: 11425 Radius of Turn: 435 Direction: 183 Total Length: 10044

 Measured Total Depth: 22156 True Vertical Depth: 15573 End Pt. Location From Release, Unit or Property Line: 423

FOR COMMISSION USE ONLY

Status: Accepted

1146473

Oklahoma Corporation Commission Oil & Gas Conservation Division Post Office Box 52000 Oklahoma City, Oklahoma 73152-2000 Rule 165: 10-3-25

Completion Report

Form 1002A

1002A Addendum

API No.: 35019263800000

Spud Date: April 07, 2020 Drilling Finished Date: May 24, 2020 1st Prod Date: April 01, 2021 Completion Date: March 30, 2021

Drill Type: HORIZONTAL HOLE

Well Name: ESSEX 1R-12-13-24XHW

- CARTER 12 2S 3W S2 NE SE SE 810 FSL 330 FEL of 1/4 SEC Location: Latitude: 34.392825 Longitude: -97.458252 Derrick Elevation: 1036 Ground Elevation: 1009
- CONTINENTAL RESOURCES INC 3186 Operator: PO BOX 268870 20 N BROADWAY AVE OKLAHOMA CITY, OK 73126-8870

Multiunit: Sec. 12: 3.73% 227170 I Sec. 13: 57.8% 227170A I Sec. 24: 38,71% 227170B I

Purchaser/Measurer: ENABLE MIDSTREAM

First Sales Date: 04/06/2021


Location Exception Increased Density **Completion Type** Order No Order No Х Single Zone 718808 709651 Multiple Zone Commingled

Casing and Cement MUFO 728807 Size Weight Feet PSI SAX Top of CMT Туре Grade SURFACE 13.38 55.00 J-55 1538 820 SURFACE INTERMEDIATE 9.63 40 P-110 10765 1085 826 PRODUCTION 5/50 23 P-110ICY 22156 2690 9340 Liner PSI SAX Туре Size Weight Grade Length **Top Depth Bottom Depth** There are no Liner records to display.

Total Depth: 22156

	Packer] [Plug				
Depth	Brand & Type	1 🗆	Depth	Plug Type			
There are no F	acker records to display.		There are no Plug records to display.				

Initial Test Data



414/21 319WDFD 2620



1 of 2