

Oklahoma Corporation Commission
Oil & Gas Conservation Division
Post Office Box 52000
Oklahoma City, Oklahoma 73152-2000
Rule 165: 10-3-25

Form 1002A

API No.: 35073264060000

Completion Report

Spud Date: April 03, 2019

OTC Prod. Unit No.: 073-225609-0-0000

Drilling Finished Date: May 08, 2019

1st Prod Date: July 01, 2019

Completion Date: July 01, 2019

Drill Type: HORIZONTAL HOLE

Min Gas Allowable: Yes

Well Name: JUDGE ROY BEAN 18-09-21 1H

Purchaser/Measurer: GSPM

Location: KINGFISHER 16 18N 9W
S2 SE SE SE
260 FSL 330 FEL of 1/4 SEC
Latitude: 36.02948807 Longitude: -98.15779112
Derrick Elevation: 1192 Ground Elevation: 1174

First Sales Date: 07/05/2019

Operator: CHISHOLM OIL & GAS OPERATING LLC 23991

6100 S YALE AVE STE 1700
TULSA, OK 74136-1921

Completion Type		Location Exception		Increased Density	
X	Single Zone	Order No		Order No	
	Multiple Zone	683888		There are no Increased Density records to display.	
	Commingled				

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
CONDUCTOR	20			80			SURFACE
SURFACE	9 5/8	40	J-55	457		250	SURFACE
PRODUCTION	7	29	P-110	8795		275	5519

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
LINER	4 1/2	13.5	P-110	5161	0	455	8588	13749

Total Depth: 13749

Packer	
Depth	Brand & Type
There are no Packer records to display.	

Plug	
Depth	Plug Type
There are no Plug records to display.	

Initial Test Data

Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut-In Pressure	Choke Size	Flow Tubing Pressure
Jul 29, 2019	MISSISSIPPIAN	205	40	207	1008	757	ESP		64	108

Completion and Test Data by Producing Formation

Formation Name: MISSISSIPPIAN		Code: 359MSSP		Class: OIL	
Spacing Orders		Perforated Intervals			
Order No	Unit Size	From	To		
679090	640	8807	13674		
Acid Volumes		Fracture Treatments			
66,474 GALS 15% HCL		600,745 LBS 100 MESH SAND; 3,336,356 LBS 30/50 SAND			
		10,097,917.00 GALS SLICKWATER			

Formation	Top
CHECKERBOARD	6701
BIG LIME	6901
OSWEGO 3	7061
VERDIGRIS	7169
PINK LIME	7284
CHESTER	7494
MANNING	7793
MERAMEC	8076
OSAGE	8126
OSAGE 3	8268
OSAGE 6	8461
OSAGE 6B	8514

Were open hole logs run? No
 Date last log run:
 Were unusual drilling circumstances encountered? No
 Explanation:

Other Remarks
OCC - THIS DOCUMENT IS ACCEPTED BASED ON THE DATA SUBMITTED THE FINAL LOCATION EXCEPTION HAS NOT BEEN ISSUED.

Lateral Holes
Sec: 21 TWP: 18N RGE: 9W County: KINGFISHER SW SE SE SE 100 FSL 346 FEL of 1/4 SEC Depth of Deviation: 8016 Radius of Turn: 547 Direction: 180 Total Length: 4954 Measured Total Depth: 13749 True Vertical Depth: 8632 End Pt. Location From Release, Unit or Property Line: 100

FOR COMMISSION USE ONLY

Status: Accepted