

Oklahoma Corporation Commission
Oil & Gas Conservation Division
Post Office Box 52000
Oklahoma City, Oklahoma 73152-2000
Rule 165: 10-3-25

Form 1002A

API No.: 35073264640000

Completion Report

Spud Date: April 01, 2019

OTC Prod. Unit No.: 083-225524-0-0000

Drilling Finished Date: April 18, 2019

1st Prod Date: May 28, 2019

Completion Date: May 25, 2019

Drill Type: HORIZONTAL HOLE

Min Gas Allowable: Yes

Well Name: MILK RIVER 18-09-03 1MH

Purchaser/Measurer: GSPM

Location: KINGFISHER 10 18N 9W
S2 NW NW
350 FNL 330 FWL of 1/4 SEC
Latitude: 36.05674741 Longitude: -98.15562299
Derrick Elevation: 1142 Ground Elevation: 1117

First Sales Date: 5/30/2019

Operator: CHISHOLM OIL & GAS OPERATING LLC 23991

6100 S YALE AVE STE 1700
TULSA, OK 74136-1921

Completion Type		Location Exception		Increased Density	
X	Single Zone	Order No		Order No	
	Multiple Zone	692800		There are no Increased Density records to display.	
	Commingled				

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
CONDUCTOR	20			80			SURFACE
SURFACE	9 5/8	40	J-55	371		250	SURFACE
PRODUCTION	7	29	P-110	8700		275	5422

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
LINER	4 1/2	13.5	P-110	5395	0	470	8408	13803

Total Depth: 13803

Packer	
Depth	Brand & Type
There are no Packer records to display.	

Plug	
Depth	Plug Type
There are no Plug records to display.	

Initial Test Data

Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut-In Pressure	Choke Size	Flow Tubing Pressure
Jun 17, 2019	MISSISSIPPIAN	272	40	495	1819	3352	PUMP-		64	140

Completion and Test Data by Producing Formation

Formation Name: MISSISSIPPIAN

Code: 359MSSP

Class: OIL

Spacing Orders

Order No	Unit Size
689532	640

Perforated Intervals

From	To
8717	13730

Acid Volumes

2,100 GALS 15% HCL

Fracture Treatments

24,500 LBS 100 MESH SAND & 138,840 LBS 30/50 SAND
388,836 GALS SLICKWATER

Formation	Top
CHECKERBOARD	6616
BIG LIME	6825
OSWEGO 3	6970
VERDIGRIS	7066
PINK LIME	7161
CHESTER	7400
MANNING	7637
MERAMEC	7984
OSAGE	8037
OSAGE 6	8302
OSAGE 6B	8396

Were open hole logs run? No

Date last log run:

Were unusual drilling circumstances encountered? No

Explanation:

Other Remarks

OCC - THIS DOCUMENT IS ACCEPTED BASED ON THE DATA SUBMITTED THE FINAL LOCATION EXCEPTION HAS NOT BEEN SUBMITTED.

Lateral Holes

Sec: 3 TWP: 18N RGE: 9W County: KINGFISHER

NE NW NW NW

101 FNL 358 FWL of 1/4 SEC

Depth of Deviation: 7850 Radius of Turn: 521 Direction: 360 Total Length: 5103

Measured Total Depth: 13803 True Vertical Depth: 8378 End Pt. Location From Release, Unit or Property Line: 101

FOR COMMISSION USE ONLY

1143124

