

Oklahoma Corporation Commission
Oil & Gas Conservation Division
Post Office Box 52000
Oklahoma City, Oklahoma 73152-2000
Rule 165: 10-3-25

Form 1002A

API No.: 35011241580000

Completion Report

Spud Date: February 28, 2019

OTC Prod. Unit No.: 011-226029-0-0000

Drilling Finished Date: April 18, 2019

1st Prod Date: August 28, 2019

Completion Date: July 31, 2019

Drill Type: HORIZONTAL HOLE

Min Gas Allowable: Yes

Well Name: REBA JO 5-13-24XHM

Purchaser/Measurer: ENABLE

Location: BLAINE 13 15N 11W
SE NW NW NE
332 FNL 2194 FEL of 1/4 SEC
Latitude: 35.782187 Longitude: -98.320527
Derrick Elevation: 1550 Ground Elevation: 1520

First Sales Date: 8/28/2019

Operator: CONTINENTAL RESOURCES INC 3186
PO BOX 269000
20 N BROADWAY AVE
OKLAHOMA CITY, OK 73126-9000

Completion Type	
X	Single Zone
	Multiple Zone
	Commingled

Location Exception	
Order No	
680756	

Increased Density	
Order No	
678693	
678694	

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
CONDUCTOR	20	106	J-55	80			SURFACE
SURFACE	13 3/8	55	J-55	1500		720	SURFACE
INTERMEDIATE	9 1/2	40	P-110	9488		830	2355
PRODUCTION	5 1/2	23	P-110	21220		3940	1466

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
There are no Liner records to display.								

Total Depth: 21223

Packer	
Depth	Brand & Type
There are no Packer records to display.	

Plug	
Depth	Plug Type
There are no Plug records to display.	

Initial Test Data

Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut-In Pressure	Choke Size	Flow Tubing Pressure
Sep 07, 2019	MISSISSIPPI LIME - MISSISSIPPIAN	3615	48	10409	2879	2579	FLOWING	4629	46/64	2611

Completion and Test Data by Producing Formation

Formation Name: MISSISSIPPI LIME

Code: 351MSSLM

Class: OIL

Spacing Orders

Order No	Unit Size
581931	640
684440	MULTIUNIT

Perforated Intervals

From	To
10998	15949

Acid Volumes

166.6 BBLS 15% HCl

Fracture Treatments

351,276 BBLS FLUID 7 20,101,788 LBS OF SAND.

Formation Name: MISSISSIPPIAN

Code: 359MSSP

Class: OIL

Spacing Orders

Order No	Unit Size
648028	640
684440	MULTIUNIT

Perforated Intervals

From	To
15987	21050

Acid Volumes

ACIDIZED WITH MISSISSIPPI LIME

Fracture Treatments

FRAC'D WITH MISSISSIPPI LIME

Formation Name: MISSISSIPPI LIME - MISSISSIPPIAN

Code:

Class: OIL

Formation	Top
MISSISSIPPI LIME TVD	10872

Were open hole logs run? No

Date last log run:

Were unusual drilling circumstances encountered? No

Explanation:

Other Remarks

OCC - THIS DOCUMENT IS ACCEPTED BASED ON THE DATA SUBMITTED NEITHER THE FINAL LOCATION EXCEPTION NOR THE FINAL MULTIUNIT ORDERS HAVE BEEN ISSUED.

Lateral Holes

Sec: 24 TWP: 15N RGE: 11W County: BLAINE

SW SE SW SE

28 FSL 1842 FEL of 1/4 SEC

Depth of Deviation: 10655 Radius of Turn: 586 Direction: 179 Total Length: 10195

Measured Total Depth: 21223 True Vertical Depth: 11113 End Pt. Location From Release, Unit or Property Line: 28

FOR COMMISSION USE ONLY

1143648

Status: Accepted