

Oklahoma Corporation Commission
Oil & Gas Conservation Division
Post Office Box 52000
Oklahoma City, Oklahoma 73152-2000
Rule 165: 10-3-25

Form 1002A

API No.: 35083244420000

Completion Report

Spud Date: January 14, 2019

OTC Prod. Unit No.: 083-225524

Drilling Finished Date: May 04, 2019

1st Prod Date: May 22, 2019

Completion Date: May 21, 2019

Drill Type: HORIZONTAL HOLE

Min Gas Allowable: Yes

Well Name: BIG ZWEY 18-04-18 1MH

Purchaser/Measurer: GSPM

Location: LOGAN 19 18N 4W
NE NW NW NW
210 FNL 450 FWL of 1/4 SEC
Latitude: 36.0287 Longitude: -97.67413
Derrick Elevation: 1076 Ground Elevation: 1055

First Sales Date: 5/28/2019

Operator: CHISHOLM OIL & GAS OPERATING LLC 23991

1 W 3RD ST STE 1700
TULSA, OK 74103-3522

Completion Type		Location Exception		Increased Density	
X	Single Zone	Order No		Order No	
	Multiple Zone	705919		There are no Increased Density records to display.	
	Commingled	702307*			

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
CONDUCTOR	20			0			SURFACE
SURFACE	9 5/8	40	J-55	471		250	SURFACE
PRODUCTION	7	29	P-110	6663		275	3429

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
LINER	4 1/2	13.5	P-110	5039	0	0	6466	11505

Total Depth: 11505

Packer	
Depth	Brand & Type
6663-11505	SWELL PACKERS OPEN HOLE COMPLETION

Plug	
Depth	Plug Type
There are no Plug records to display.	

Initial Test Data

Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut-In Pressure	Choke Size	Flow Tubing Pressure
Jun 25, 2019	MISSISSIPPIAN	315	40	1642	5212	747	ESP		64/64	116

Completion and Test Data by Producing Formation

Formation Name: MISSISSIPPIAN

Code: 359MSSP

Class: OIL

Spacing Orders

Order No	Unit Size
686005	640

Perforated Intervals

From	To
There are no Perf. Intervals records to display.	

Acid Volumes

36,288 GALS 15% HCL

Fracture Treatments

540,924 LBS 100 MESH SAND, 3,182,270 LBS 30/50 SAND
9,043,020 GALS SLICKWATER

Formation	Top
CHECKERBOARD	5501
BIG LIME	5690
OSWEGO 3	5812
VERDIGRIS	5902
PINK LIME	5981
MISSISSIPPIAN	6073
MISSISSIPPIAN SH 3	6124
OSAGE	6200
OSAGE 4	6296
OSAGE 6	6398
OSAGE 6B	6428

Were open hole logs run? No

Date last log run:

Were unusual drilling circumstances encountered? No

Explanation:

Other Remarks

*OCC - ORDER 702309 INCORPORATES EXCEPTION TO RULE 165:10-3-28(C)(2)(B)

OCC - THIS IS AN OPEN HOLE COMPLETION FROM THE BOTTOM OF THE 7" AT 6663' TO TERMINUS AT 11505'. THE 4 1/2 LINER IS NOT CEMENTED.

OCC - PERFORATIONS NOTED AS 6,663' - 11,505'

Lateral Holes

Sec: 18 TWP: 18N RGE: 4W County: LOGAN

NE NW NW NW

160 FNL 373 FWL of 1/4 SEC

Depth of Deviation: 5920 Radius of Turn: 480 Direction: 359 Total Length: 4830

Measured Total Depth: 11505 True Vertical Depth: 6371 End Pt. Location From Release, Unit or Property Line: 160

Status: Accepted