

Oklahoma Corporation Commission
Oil & Gas Conservation Division
Post Office Box 52000
Oklahoma City, Oklahoma 73152-2000
Rule 165: 10-3-25

Form 1002A

API No.: 35011241640000

Completion Report

Spud Date: February 10, 2019

OTC Prod. Unit No.: 01122566500000

Drilling Finished Date: March 11, 2019

1st Prod Date: June 21, 2019

Completion Date: June 21, 2019

Drill Type: HORIZONTAL HOLE

Min Gas Allowable: Yes

Well Name: FLEENOR 8_5-15N-10W 2HX

Purchaser/Measurer:

Location: BLAINE 7 15N 10W
SE SE SW SE
265 FSL 1385 FEL of 1/4 SEC
Latitude: 35.78402045 Longitude: -98.3008481
Derrick Elevation: 1550 Ground Elevation: 1527

First Sales Date:

Operator: DEVON ENERGY PRODUCTION CO LP 20751

333 W SHERIDAN AVE
OKLAHOMA CITY, OK 73102-5015

Completion Type		Location Exception		Increased Density	
X	Single Zone	Order No		Order No	
	Multiple Zone	709763		691361	
	Commingled			691360	

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
CONDUCTOR	20"	133#	J-55	85			SURFACE
SURFACE	13 3/8"	54.5#	J-55	1516		615	SURFACE
INTERMEDIATE	9 5/8"	40#	P-110EC	9540		380	6691
PRODUCTION	5 1/2"	23#	P-110EC	21004		2935	4929

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
There are no Liner records to display.								

Total Depth: 21019

Packer		Plug	
Depth	Brand & Type	Depth	Plug Type
There are no Packer records to display.		20805	ALUMINUM BRIDGE PLUG

Initial Test Data

Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut-In Pressure	Choke Size	Flow Tubing Pressure
Jul 16, 2019	MISSISSIPPIAN / MISS'AN LESS CHESTER	1376	47	2912	2116	624	FLOWING	220	26/64	

Completion and Test Data by Producing Formation

Formation Name: MISSISSIPPIAN

Code: 359MSSP

Class: OIL

Spacing Orders

Order No	Unit Size
643729	640
709764	MULTIUNIT

Perforated Intervals

From	To
11095	15918

Acid Volumes

NO ACID

Fracture Treatments

324,492 BBLS FLUID
27,305,779 # PROPPANT

Formation Name: MISSISSIPPIAN (LESS CHESTER)

Code: 359MSNLC

Class: OIL

Spacing Orders

Order No	Unit Size
660343	640
690643	NUNC PRO TUNC 640
709764	MULTIUNIT

Perforated Intervals

From	To
15918	20790

Acid Volumes

NO ACID

Fracture Treatments

FRAC'D WITH MISSISSIPPIAN FORMAITON

Formation Name: MISSISSIPPIAN / MISS'AN LESS CHESTER

Code:

Class: OIL

Formation	Top
MERAMAC	10673

Were open hole logs run? No

Date last log run:

Were unusual drilling circumstances encountered? No

Explanation:

Other Remarks

IRREGULAR SECTION

Lateral Holes

Sec: 5 TWP: 15N RGE: 10W County: BLAINE

NE NW NW NW

50 FNL 363 FWL of 1/4 SEC

Depth of Deviation: 10471 Radius of Turn: 556 Direction: 1 Total Length: 9674

Measured Total Depth: 21019 True Vertical Depth: 10574 End Pt. Location From Release, Unit or Property Line: 50

FOR COMMISSION USE ONLY

1142889

Status: Accepted