

Oklahoma Corporation Commission
Oil & Gas Conservation Division
Post Office Box 52000
Oklahoma City, Oklahoma 73152-2000
Rule 165: 10-3-25

Form 1002A

API No.: 35011241110000

Completion Report

Spud Date: November 13, 2018

OTC Prod. Unit No.: 011-226047-0-0000

Drilling Finished Date: March 02, 2019

1st Prod Date: August 30, 2019

Completion Date: August 26, 2019

Drill Type: HORIZONTAL HOLE

Min Gas Allowable: Yes

Well Name: SCHULTE FIU 4-19-18XHM

Purchaser/Measurer: ENABLE

Location: BLAINE 19 15N 10W
SE SW SE SW
230 FSL 1850 FWL of 1/4 SEC
Latitude: 35.7548 Longitude: -98.306957
Derrick Elevation: 1495 Ground Elevation: 1465

First Sales Date: 8/30/2019

Operator: CONTINENTAL RESOURCES INC 3186
PO BOX 269000
20 N BROADWAY AVE
OKLAHOMA CITY, OK 73126-9000

Completion Type	
X	Single Zone
	Multiple Zone
	Commingled

Location Exception	
Order No	
687281	

Increased Density	
Order No	
685436	
685437	

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
CONDUCTOR	20	106	J-55	80			SURFACE
SURFACE	13 3/8	55	J-55	1472		831	SURFACE
INTERMEDIATE	9 5/8	40	P-110	9557		670	4827
PRODUCTION	5 1/2	23	P-110ICY	21190		4725	1378

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
There are no Liner records to display.								

Total Depth: 21220

Packer	
Depth	Brand & Type
There are no Packer records to display.	

Plug	
Depth	Plug Type
There are no Plug records to display.	

Initial Test Data

Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut-In Pressure	Choke Size	Flow Tubing Pressure
Sep 10, 2019	MISSISSIPPI LIME - MISSISSIPPIAN	2687	48	9444	3515	3921	FLOWING	3902	48/64	2504

Completion and Test Data by Producing Formation

Formation Name: MISSISSIPPI LIME

Code: 351MSSLM

Class: OIL

Spacing Orders

Order No	Unit Size
579311	640
687282	MULTIUNIT

Perforated Intervals

From	To
11150	15933

Acid Volumes

83.8 BBLS 15% HCL

Fracture Treatments

352,930 BBLS FLUID & 20,956,757 LBS OF SAND

Formation Name: MISSISSIPPIAN

Code: 359MSSP

Class: OIL

Spacing Orders

Order No	Unit Size
656754	640
687282	MULTIUNIT

Perforated Intervals

From	To
15970	21051

Acid Volumes

ACIDIZED WITH MISSISSIPPI LIME

Fracture Treatments

FRAC'D WITH MISSISSIPPI LIME

Formation Name: MISSISSIPPI LIME - MISSISSIPPIAN

Code:

Class: OIL

Formation	Top
MISSISSIPPI LIME TVD	11065

Were open hole logs run? No

Date last log run:

Were unusual drilling circumstances encountered? No

Explanation:

Other Remarks

OCC - THIS DOCUMENT IS ACCEPTED BASED ON THE DATA SUBMITTED NEITHER THE FINAL LOCATION EXCEPTION NOR THE FINAL MULTIUNIT ORDERS HAVE BEEN ISSUED.

Lateral Holes

Sec: 18 TWP: 15N RGE: 10W County: BLAINE

NE NW NE NW

34 FNL 1871 FWL of 1/4 SEC

Depth of Deviation: 10743 Radius of Turn: 808 Direction: 360 Total Length: 10316

Measured Total Depth: 21220 True Vertical Depth: 10869 End Pt. Location From Release, Unit or Property Line: 34

FOR COMMISSION USE ONLY

1143682

Status: Accepted