Oklahoma Corporation Commission Oil & Gas Conservation Division Post Office Box 52000 Oklahoma City, Oklahoma 73152-2000

Rule 165: 10-3-25

OTC Prod. Unit No.: 051-224352 Drilling Finished Date: June 10, 2018

1st Prod Date: September 10, 2018

Amend Reason: ADD FORMATION, AMEND PERFS

Completion Date: September 04, 2018

Drill Type: HORIZONTAL HOLE

Min Gas Allowable: Yes

Well Name: BIRT 4-13-12XHS Purchaser/Measurer: ENABLE MIDSTREAM

Location: GRADY 24 7N 6W First Sales Date: 9/10/2018

SE NE NW NE 400 FNL 1628 FEL of 1/4 SEC

Latitude: 35.07209 Longitude: -97.78159 Derrick Elevation: 1179 Ground Elevation: 1149

Operator: CONTINENTAL RESOURCES INC 3186

PO BOX 269000 20 N BROADWAY AVE

Completion Type

Single Zone

Multiple Zone

Commingled

Amended

OKLAHOMA CITY, OK 73126-9000

Location Exception						
Order No						
692332						

Increased Density						
Order No						
676904						
677376						

Casing and Cement							
Туре	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
SURFACE	13 3/8	55	J-55	1517		840	SURFACE
INTERMEDIATE	9 5/8	40	P-110	11310		905	3049
PRODUCTION	5 1/2	23	P-110	22333		2840	10458

Liner								
Туре	Type Size Weight Grade Length PSI SAX Top Depth Bottom Depth							
There are no Liner records to display.								

Total Depth: 22333

Packer					
Depth Brand & Type					
There are no Packer records to display.					

Plug						
Depth Plug Type						
There are no Plug records to display.						

Initial Test Data

March 05, 2019 1 of 3

Test Date	Format	tion	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut- In Pressure	Choke Size	Flow Tubin Pressure
Sep 16, 2018	SPRINGER/0	GODDARD	24	43.4	110	4583	3059	FLOWING	3750	20/64	2100
			Cor	npletion and	Test Data	by Producing F	ormation				
	Formation N	lame: SPRIN	IGER		Code: 4	01 SPRG	C	Class: OIL			
	Spacing	Orders				Perforated In	ntervals		\neg		
Orde	r No	U	nit Size		Fro	m	-	Го	7		
582	004		640		119	65	17	076			
692	211	MU	ILTIUNIT			•					
	Acid V	olumes				Fracture Tre	atments		\neg		
	2020 BBLS 15	5% HCL ACI	D	36	67,161 BBL	S OF FLUID & 14	4,593,907 LE	BS OF SAND			
	Formation N	lame: GODD	ARD		Code: 4	01 GDRD	C	Class: OIL			
	Spacing	Orders				Perforated In	ntervals				
Orde	r No	U	nit Size		From To						
567	567315 640			171	17110 22196						
692211 MULTIUNIT											
Acid Volumes				Fracture Treatments							
ACIDIZED WITH SPRINGER					FI	RACTURED WIT	H SPRINGE	R			
	Formation N	lame: SPRIN	IGER/GODD	ARD	Code:		C	Class: OIL			
Formation			ļт	ор		Were open hole I	oge run? No				
SPRINGER				Were open hole logs run? No 11648 Date last log run:							
GODDARD				Were unusual drilling circumstances encounted Explanation:		untered? No					

Other Remarks		
There are no Other R	emarks.	

Lateral Holes

March 05, 2019 2 of 3

Sec: 12 TWP: 7N RGE: 6W County: GRADY

NW NE NE NE

34 FNL 620 FEL of 1/4 SEC

Depth of Deviation: 11039 Radius of Turn: 535 Direction: 2 Total Length: 10368

Measured Total Depth: 22333 True Vertical Depth: 11244 End Pt. Location From Release, Unit or Property Line: 34

FOR COMMISSION USE ONLY

1141808

Status: Accepted

March 05, 2019 3 of 3