Oklahoma Corporation Commission
Oil & Gas Conservation Division
Post Office Box 52000
Oklahoma City, Oklahoma 73152-2000
Rule 165: 10-3-25

Form 1002A

API No.: 35011241080001

Completion Report

Spud Date: October 29, 2018

OTC Prod. Unit No.: 01122548400000

Drilling Finished Date: January 22, 2019

1st Prod Date: May 09, 2019

Amended

Completion Date: May 04, 2019

Amend Reason: AMEND PERFORATED INTERVALS

Drill Type: HORIZONTAL HOLE

Min Gas Allowable: Yes

Well Name: ROSER 1611 2-3-34MXH

Purchaser/Measurer: ONEOK FIELD SERVICES

Location: BLAINE 3 16N 11W
W2 SE SW SE
330 FSL 1879 FEL of 1/4 SEC
Latitude: 35.885485 Longitude: -98.355016
Derrick Elevation: 1559 Ground Elevation: 1527

First Sales Date: 5/9/19

Operator: MARATHON OIL COMPANY 1363
PO BOX 68
7301 NW EXPRESSWAY
HOUSTON, TX 77001-0068

Completion Type	
X	Single Zone
	Multiple Zone
	Commingled

Location Exception
Order No
688323

Increased Density
Order No
687085
685318

Casing and Cement

Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
CONDUCTOR	20	94	J55	110			SURFACE
SURFACE	13 3/8	54.50	J55	1491		702	SURFACE
INTERMEDIATE	9 5/8	40	P110HC	8900		816	4970
PRODUCTION	5 1/2	23	P110EC	20368		3296	7945

Liner

Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
There are no Liner records to display.								

Total Depth: 20385

Packer	
Depth	Brand & Type
There are no Packer records to display.	

Plug	
Depth	Plug Type
There are no Plug records to display.	

Initial Test Data

Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut-In Pressure	Choke Size	Flow Tubing Pressure
May 11, 2019	MISS LIME/MISS'AN (LESS CHESTER)	1054	48	1532	1453	2600	FLOWING	1986	30/64	

Completion and Test Data by Producing Formation

Formation Name: MISSISSIPPI LIME Code: 351MSSLM Class: OIL

Spacing Orders

Order No	Unit Size
583967	640
686264	MULTI-UNIT

Perforated Intervals

From	To
10606	15246

Acid Volumes

There are no Acid Volume records to display.

Fracture Treatments

205908 BBLS OF FLUID
17447264 LBS OF PROPPANT

Formation Name: MISSISSIPPIAN (LESS CHESTER) Code: 359MSNLC Class: OIL

Spacing Orders

Order No	Unit Size
671660	640
686264	MULTI-UNIT

Perforated Intervals

From	To
15286	20208

Acid Volumes

There are no Acid Volume records to display.

Fracture Treatments

FRAC'D WITH MISSISSIPPI LIME

Formation Name: MISS LIME/MISS'AN (LESS CHESTER) Code: Class: OIL

Formation	Top
MISSISSIPPI LIME	10192

Were open hole logs run? No
Date last log run:

Were unusual drilling circumstances encountered? No
Explanation:

Other Remarks

OCC: THIS DOCUMENT IS BEING ACCEPTED BASED ON THE DATA SUBMITTED. NEITHER THE FINAL LOCATION EXCEPTION NOR THE FINAL MULTIUNIT ORDERS HAVE BEEN ISSUED

Lateral Holes

Sec: 34 TWP: 17N RGE: 11W County: BLAINE

NE NE NW NE

80 FNL 1538 FEL of 1/4 SEC

Depth of Deviation: 10137 Radius of Turn: 113 Direction: 90 Total Length: 9975

Measured Total Depth: 20385 True Vertical Depth: 9925 End Pt. Location From Release, Unit or Property Line: 80

FOR COMMISSION USE ONLY

1144609

Status: Accepted