### Oklahoma Corporation Commission Oil & Gas Conservation Division Post Office Box 52000 Oklahoma City, Oklahoma 73152-2000 Rule 165: 10-3-25

API No.: 35063249410000

Well Name: PATRICK 1-3

OTC Prod. Unit No.:

Drill Type:

Location:

### **Completion Report**

Spud Date: February 22, 2022

Drilling Finished Date: March 04, 2022 1st Prod Date: May 01, 2022 Completion Date: August 11, 2022

Purchaser/Measurer:

First Sales Date:

Derrick Elevation: 845 Ground Elevation: 841

1050 FSL 135 FWL of 1/4 SEC

Operator: TILFORD PINSON EXPLORATION LLC 19944

Latitude: 34.92998106 Longitude: -96.35284017

841 S KELLY AVE STE 130 EDMOND, OK 73003-5278

DIRECTIONAL HOLE

HUGHES 3 5N 9E

NW NW SW SW

Completion Type		Location Exception	וך	Increased Density				
Х	Single Zone	Order No	11	Order No				
	Multiple Zone	There are no Location Exception records to display.		There are no Increased Density records to display.				
	Commingled	-	_					

			C	Casing and Cer	nent					
Туре		Siz	e Weight	Grade	Fe	et	PSI	SAX	Top of CMT	
SURFACE		8 5	/8 20	J-55	56	60		240	SURFACE	
PRODUCTION		4 1	/2 10.5	J-55	30	61		165	2340	
Liner										
Type Size Weig		Weight	Grade	ade Length		SAX	Top Depth		Bottom Dept	
There are no Liner records to display.										

## Total Depth: 3105

Pac	ker	Plug			
Depth	Brand & Type	Depth	Plug Type		
There are no Packe	r records to display.	2847	RBP		

Initial Test Data

Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	/ Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut- In Pressure	Choke Size	Flow Tubing Pressure
May 16, 2022	BOOCH	2.5				10	PUMPING			
Aug 11, 2022	SAVANNA	A 30	33			1	PUMPING			
		C	ompletion ar	d Test Data	by Producing F	ormation				
	Formation Nam	e: SAVANNA		Code: 40	)4SVNN	С	Class: OIL			
	Spacing Or	ders			Perforated I					
Orde	er No	Unit Size		From To						
716	954	40		2758 2764						
	Acid Volu	mes			Fracture Tre	atments				
	1,000 GALLONS	10% HCL		872 BARREL	S FLUID, 30,00		20/40 SAND			
	Formation Nam	e: BOOCH		Code: 404BOCH Class: OIL						
	Spacing Or	ders			Perforated I					
Orde	er No	Unit Size		From T			Го			
716	954	40		298	2986 3005					
	Acid Volu	mes			Fracture Tre	atments		_		
	1,750 GALLONS	10% HCL		900 BARRELS FLUID, 40/360 POUNDS 20/40 SAND						
	Formation Nam	e: BOOCH		Code: 40	04BOCH	C	Class: OIL			
	Spacing Or	ders			Perforated I					
Orde	Order No Unit Size			Fror	n	То		-		
716954 40			2868		2876					
	Acid Volu	mes		Fracture Treatments						
	1,750 GALLONS	10% HCL		908 BARRELS FLUID, 50,100 POUNDS 20/40 SAND						
Formation			Тор		M					
BARTLESVILLE				Were open hole logs run? Yes2294Date last log run: March 04, 2022						

Were unusual drilling circumstances encountered? No Explanation:

#### Other Remarks

SAVANNA

BOOCH

OCC - CORRECTION BOTTOM HOLE SHOW FOOTAGE FROM WEST LINE 728'. RBP SET BETWEEN BOOCH AND SAVANNA PERFORATIONS. WELL IS A SINGLE ZONE COMPLETION FROM SAVANNA - BOOCH UNDER PLUG.

2632

2812

Sec: 3 TWP: 5N RGE: 9E County: HUGHES

NW SE SW SW

620 FSL 728 FWL of 1/4 SEC

Depth of Deviation: 0 Radius of Turn: 0 Direction: 0 Total Length: 0

Measured Total Depth: 3105 True Vertical Depth: 2989 End Pt. Location From Release, Unit or Property Line: 620

# FOR COMMISSION USE ONLY

Status: Accepted

1148727