

Oklahoma Corporation Commission
Oil & Gas Conservation Division
Post Office Box 52000
Oklahoma City, Oklahoma 73152-2000
Rule 165: 10-3-25

Form 1002A

API No.: 35083244330000

Completion Report

Spud Date: September 06, 2018

OTC Prod. Unit No.: 083224780

Drilling Finished Date: September 29, 2018

1st Prod Date: December 05, 2018

Completion Date: December 05, 2018

Drill Type: HORIZONTAL HOLE

Min Gas Allowable: Yes

Well Name: BLEVINS 3-7MH

Purchaser/Measurer: SUPERIOR

Location: LOGAN 7 17N 4W
SE SW SE SW
236 FSL 1803 FWL of 1/4 SEC
Latitude: 35.9571889 Longitude: -97.6693194
Derrick Elevation: 1154 Ground Elevation: 1137

First Sales Date: 12/5/2018

Operator: RED BLUFF RESOURCES OPERATING LLC 23828

3030 NW EXPRESSWAY STE 900
OKLAHOMA CITY, OK 73112-5447

Completion Type		Location Exception		Increased Density	
X	Single Zone	Order No		Order No	
	Multiple Zone	698378		There are no Increased Density records to display.	
	Commingled				

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
CONDUCTOR	20			80			SURFACE
SURFACE	9.625	36	J-55	507		225	SURFACE
PRODUCTION	7.0	29	P-110	7228		165	5915

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
LINER	4.5	13.5	P-110	4605	0	0	7091	11696

Total Depth: 11696

Packer	
Depth	Brand & Type
11556	SCHLUMBERGER - OPENHOLE SWELLABLE PACKER
11370	SCHLUMBERGER - OPENHOLE SWELLABLE PACKER
11211	SCHLUMBERGER - OPENHOLE SWELLABLE PACKER
11053	SCHLUMBERGER - OPENHOLE SWELLABLE PACKER

Plug	
Depth	Plug Type
There are no Plug records to display.	

10895	SCHLUMBERGER - OPENHOLE SWELLABLE PACKER
10736	SCHLUMBERGER - OPENHOLE SWELLABLE PACKER
10578	SCHLUMBERGER - OPENHOLE SWELLABLE PACKER
10422	SCHLUMBERGER - OPENHOLE SWELLABLE PACKER
10264	SCHLUMBERGER - OPENHOLE SWELLABLE PACKER
10109	SCHLUMBERGER - OPENHOLE SWELLABLE PACKER
9950	SCHLUMBERGER - OPENHOLE SWELLABLE PACKER
9793	SCHLUMBERGER- OPENHOLE SWELLABLE PACKER
9635	SCHLUMBERGER- OPENHOLE SWELLABLE PACKER
9476	SCHLUMBERGER- OPENHOLE SWELLABLE PACKER
9318	SCHLUMBERGER- OPENHOLE SWELLABLE PACKER
9160	SCHLUMBERGER- OPENHOLE SWELLABLE PACKER
9001	SCHLUMBERGER- OPENHOLE SWELLABLE PACKER
8843	SCHLUMBERGER- OPENHOLE SWELLABLE PACKER
8685	SCHLUMBERGER- OPENHOLE SWELLABLE PACKER
8528	SCHLUMBERGER- OPENHOLE SWELLABLE PACKER
8369	SCHLUMBERGER- OPENHOLE SWELLABLE PACKER
8212	SCHLUMBERGER- OPENHOLE SWELLABLE PACKER
8053	SCHLUMBERGER- OPENHOLE SWELLABLE PACKER
7895	SCHLUMBERGER- OPENHOLE SWELLABLE PACKER
7737	SCHLUMBERGER- OPENHOLE SWELLABLE PACKER
7580	SCHLUMBERGER- OPENHOLE SWELLABLE PACKER
7426	SCHLUMBERGER- OPENHOLE SWELLABLE PACKER
7267	SCHLUMBERGER- OPENHOLE SWELLABLE PACKER

Initial Test Data										
Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut- In Pressure	Choke Size	Flow Tubing Pressure
Dec 19, 2018	MISSISSIPPI	305	43	782	2564	1673	PUMPING	869	64/64	160
Completion and Test Data by Producing Formation										

Formation Name: MISSISSIPPI		Code: 351MISS	Class: OIL
Spacing Orders		Perforated Intervals	
Order No	Unit Size	From	To
625575	640	7351	11463
Acid Volumes		Fracture Treatments	
131,246 GALLONS 15% HCl		FLUID: 297,472 BBLS; 6,544,710 LBS SAND	

Formation	Top
COTTAGE GROVE	4516
OSWEGO	5975
VERDIGRIS	6190
MISSISSIPPI	6407
OSAGE	6638

Were open hole logs run? No
Date last log run:

Were unusual drilling circumstances encountered? No
Explanation:

Other Remarks
OCC – THIS IS AN OPEN HOLE COMPLETION FROM THE BOTTOM OF THE 7" AT 7228' TO TERMINUS AT 11696', THE 4 1/2 LINER IS NOT CEMENTED.

Lateral Holes
Sec: 7 TWP: 17N RGE: 4W County: LOGAN NW NE NE NW 165 FNL 2298 FWL of 1/4 SEC Depth of Deviation: 6309 Radius of Turn: 271 Direction: 5 Total Length: 4961 Measured Total Depth: 11696 True Vertical Depth: 6827 End Pt. Location From Release, Unit or Property Line: 165

FOR COMMISSION USE ONLY	
Status: Accepted	1141592