

Oklahoma Corporation Commission
Oil & Gas Conservation Division
Post Office Box 52000
Oklahoma City, Oklahoma 73152-2000
Rule 165: 10-3-25

Form 1002A

API No.: 35017252070001

Completion Report

Spud Date: May 25, 2018

OTC Prod. Unit No.: 073-224058-0-0000

Drilling Finished Date: June 08, 2018

1st Prod Date: August 02, 2018

Completion Date: July 22, 2018

Drill Type: HORIZONTAL HOLE

Min Gas Allowable: Yes

Well Name: NANCY 1-36 1508WH

Purchaser/Measurer: MUSTANG

Location: CANADIAN 1 14N 8W
SW NW NW NW
445 FNL 233 FWL of 1/4 SEC
Latitude: 35.724242 Longitude: -98.01177
Derrick Elevation: 1200 Ground Elevation: 1180

First Sales Date: 08/02/2018

Operator: TRIUMPH ENERGY PARTNERS LLC 23826

8908 S YALE AVE STE 250
TULSA, OK 74137-3557

Completion Type		Location Exception		Increased Density	
X	Single Zone	Order No		Order No	
	Multiple Zone	There are no Location Exception records to display.		There are no Increased Density records to display.	
	Commingled				

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
SURFACE	9.625	40	P110	1530		640	SURFACE
PRODUCTION	5.5	20	P110	14745		2026	9130

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
There are no Liner records to display.								

Total Depth: 14745

Packer	
Depth	Brand & Type
There are no Packer records to display.	

Plug	
Depth	Plug Type
There are no Plug records to display.	

Initial Test Data

Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut-In Pressure	Choke Size	Flow Tubing Pressure
Aug 16, 2018	WOODFORD	521	44	681	1307	1039	FLOWING	1952	64/64	155

Completion and Test Data by Producing Formation	
Formation Name: WOODFORD	Code: 319WDFD
Class: OIL	

Spacing Orders	
Order No	Unit Size
682698	640

Perforated Intervals	
From	To
9750	14621

Acid Volumes	
1196 BBL 15% NE HCL ACID	

Fracture Treatments	
235,292 BBL FLUID AND 8,887,762# SAND	

Formation	Top
TONKAWA	6399
LAYTON	6957
CLEVELAND	7503
OSWEGO	7847
VERDIGRIS	8022
PINK LIME	8189
INOLA	8300
MANNING	8571
MERAMEC	9011
OSAGE	9315
WOODFORD	9441

Were open hole logs run? No

Date last log run:

Were unusual drilling circumstances encountered? No

Explanation:

Other Remarks
OCC-REMOVED LOCATION EXCEPTION PER ORDER 690592 DISMISSAL

Lateral Holes
<p>Sec: 36 TWP: 15N RGE: 8W County: KINGFISHER</p> <p>NE NW NW NW</p> <p>120 FNL 617 FWL of 1/4 SEC</p> <p>Depth of Deviation: 9012 Radius of Turn: 426 Direction: 3 Total Length: 5064</p> <p>Measured Total Depth: 14745 True Vertical Depth: 9438 End Pt. Location From Release, Unit or Property Line: 120</p>

FOR COMMISSION USE ONLY	
Status: Accepted	1140642

