

Oklahoma Corporation Commission
Oil & Gas Conservation Division
Post Office Box 52000
Oklahoma City, Oklahoma 73152-2000
Rule 165: 10-3-25

Form 1002A

API No.: 35133205120001

Completion Report

Spud Date: May 28, 1971

OTC Prod. Unit No.: 133-043290-0-0000

Drilling Finished Date: June 09, 1971

Amended

1st Prod Date: June 23, 1971

Amend Reason: RECOMPLETE IN MARSHALL FORMATION; COMMINGLE WITH 2ND WILCOX

Completion Date: June 22, 1971

Recomplete Date: September 16, 2019

Drill Type: STRAIGHT HOLE

Well Name: GOFORTH 21

Purchaser/Measurer: SUNOCO

Location: SEMINOLE 15 8N 6E
W2 SE SW NE
330 FSL 800 FWL of 1/4 SEC
Latitude: 35.167570142 Longitude: -96.658350631
Derrick Elevation: 960 Ground Elevation: 942

First Sales Date: 9/16/19

Operator: KEENER OIL & GAS COMPANY 19336

1648 S BOSTON AVE STE 200
TULSA, OK 74119-4416

Completion Type		Location Exception		Increased Density	
X	Single Zone	Order No		Order No	
	Multiple Zone	There are no Location Exception records to display.		There are no Increased Density records to display.	
X	Commingled				

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
SURFACE	10 3/4	32		100		75	SURFACE
PRODUCTION	7	23	J-55	4264		150	3340

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
There are no Liner records to display.								

Total Depth: 4270

Packer	
Depth	Brand & Type
There are no Packer records to display.	

Plug	
Depth	Plug Type
There are no Plug records to display.	

Initial Test Data

Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut-In Pressure	Choke Size	Flow Tubing Pressure
Sep 16, 2019	MARSHALL / 2ND WILCOX	5	35			50	PUMPING			

Completion and Test Data by Producing Formation

Formation Name: MARSHALL

Code: 202MRSL

Class: OIL

Spacing Orders

Order No	Unit Size
There are no Spacing Order records to display.	

Perforated Intervals

From	To
4099	4105

Acid Volumes

NONE

Fracture Treatments

NONE

Formation Name: 2ND WILCOX

Code: 202WLCX2

Class: OIL

Spacing Orders

Order No	Unit Size
There are no Spacing Order records to display.	

Perforated Intervals

From	To
4172	4188
4199	4208
4211	4230

Acid Volumes

NONE

Fracture Treatments

NONE

Formation Name: MARSHALL / 2ND WILCOX

Code:

Class: OIL

Formation	Top
MARSHALL	4095
2ND WILCOX	4164

Were open hole logs run? No

Date last log run:

Were unusual drilling circumstances encountered? No

Explanation:

Other Remarks

OCC - ORIGINAL 1002A SHOWS D-V TOOL SET IN 7" CASING AT 915', USED 225 SACKS CEMENT CIRCULATED

OCC - SURFACE CASING GRADE COULD NOT BE CONFIRMED BY OPERATOR; ORIGINAL 1971 2ND WILCOX PEROFATION AT 4,204' - 4,223'

FOR COMMISSION USE ONLY

1144045

