Oklahoma Corporation Commission Oil & Gas Conservation Division Post Office Box 52000 Oklahoma City, Oklahoma 73152-2000

Rule 165: 10-3-25

API No.: 35017254040001 **Completion Report** Spud Date: March 20, 2019

OTC Prod. Unit No.: 017-225854-0-0000 Drilling Finished Date: April 17, 2019

1st Prod Date: July 26, 2019

Completion Date: July 26, 2019 Amend Reason: RECLASSIFY TO GAS

Drill Type: HORIZONTAL HOLE Min Gas Allowable: Yes

Well Name: BLTW COM 1H-2227X Purchaser/Measurer: XEC

Location: CANADIAN 22 11N 8W First Sales Date: 07/26/2019

SW SW NW NW

1000 FNL 250 FWL of 1/4 SEC

Latitude: 35.417891745 Longitude: -98.042095635 Derrick Elevation: 1338 Ground Elevation: 1317

Operator: CIMAREX ENERGY CO 21194

202 S CHEYENNE AVE STE 1000

TULSA, OK 74103-3001

Completion Type							
X Single Zone							
Multiple Zone							
	Commingled						

Amended

Location Exception	
Order No	
704954	

Increased Density
Order No
693595

Casing and Cement									
Туре	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT		
SURFACE	13 3/8	54.5	J-55	1512	2500	955	SUFACE		
INTERMEDIATE	9 5/8	40	HCL-80	10417	5000	980	5005		
PRODUCTION	5 1/2	20	P-110	21156	9000	2821	8600		

Liner									
Туре	Type Size Weight Grade Length PSI SAX Top Depth Bottom Depth								
	There are no Liner records to display.								

Total Depth: 21156

Packer					
Depth	Brand & Type				
There are no Packer records to display.					

Plug						
Depth Plug Type						
There are no Plug records to display.						

Initial Test Data

April 01, 2022 1 of 2

Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut- In Pressure	Choke Size	Flow Tubing Pressure
Jan 01, 2022	WOODFORD	152	58	2727	17941	138	FLOWING	192	64/64	-2

Completion and Test Data by Producing Formation

Formation Name: WOODFORD

Code: 319WDFD

Class: GAS

Spacing Orders						
Order No	Unit Size					
563394	640					
654422	640					
704953	MULTIUNIT					

Perforated Intervals					
From	То				
11948	21066				

Acid Volumes

There are no Acid Volume records to display.

Fracture Treatments					
31,198,935 GALLONS OF FLUID 28,486,518 POUNDS OF SAND					

Formation	Тор
WOODFORD	11786

Were open hole logs run? No Date last log run:

Were unusual drilling circumstances encountered? No Explanation:

Other Remarks

DEEPEST TVD @ 12055'

Lateral Holes

Sec: 27 TWP: 11N RGE: 8W County: CANADIAN

SE SW SW SW

151 FSL 377 FWL of 1/4 SEC

Depth of Deviation: 11295 Radius of Turn: 542 Direction: 180 Total Length: 9010

Measured Total Depth: 21156 True Vertical Depth: 12055 End Pt. Location From Release, Unit or Property Line: 151

FOR COMMISSION USE ONLY

1147782

Status: Accepted

April 01, 2022 2 of 2

Oklahoma Corporation Commission Oil & Gas Conservation Division Post Office Box 52000 Oklahoma City, Oklahoma 73152-2000 Rule 165: 10-3-25

1002A Addendum

A DI	Nio •	2501	725/1	040001

OTC Prod. Unit No.: 017-225854-0-0000

Spud Date: March 20, 2019

Drilling Finished Date: April 17, 2019

Amended

Amend Reason: RECLASSIFY TO GAS

Drill Type:

HORIZONTAL HOLE

Well Name: BLTW COM 1H-2227X

Location:

CANADIAN 22 11N 8W

SW SW NW NW 1000 FNL 250 FWL of 1/4 SEC

Latitude: 35.417891745 Longitude: -98.042095635

Derrick Elevation: 1338 Ground Elevation: 1317

Operator:

CIMAREX ENERGY CO 21194

202 S CHEYENNE AVE STE 1000

TULSA, OK 74103-3001

Comp	letion	Report
------	--------	--------

1st Prod Date: July 26, 2019

Completion Date: July 26, 2019

Min Gas Allowable: Yes

Purchaser/Measurer: XEC

First Sales Date: 07/26/2019

Mufficient:

Sec. 22: 45.640% 225854 Sec 27: 54.3760% 225854A

Completion Type					
Х	Single Zone				
	Multiple Zone				
	Commingled				

Location Exception					
·	Order No				
	704954				

Increased Density
Order No
693595

MUFO 704953 SA 693596 (Sec.27)

Casing and Cement							
Туре	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
SURFACE	13 3/8	54.5	J-55	1512	2500	955	SUFACE
INTERMEDIATE	9 5/8	40	HCL-80	10417	5000	980	5005
PRODUCTION	5 1/2	20	P-110	21156	9000	2821	8600

				Liner				
Туре	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
There are no Liner records to display.								

Total Depth: 21156

Packer						
Depth	Brand & Type					
There are no Packet	r records to display.					

Pli	ug				
Depth	Plug Type				
There are no Plug records to display.					

Initial Test Data

319WDFD