

Oklahoma Corporation Commission
Oil & Gas Conservation Division
Post Office Box 52000
Oklahoma City, Oklahoma 73152-2000
Rule 165: 10-3-25

Form 1002A

API No.: 35017257250000

Completion Report

Spud Date: January 27, 2022

OTC Prod. Unit No.: 017-228026

Drilling Finished Date: March 14, 2022

1st Prod Date: July 02, 2022

Completion Date: July 02, 2022

Drill Type: HORIZONTAL HOLE

Well Name: MILLER TRUST 5-32-5XHW

Purchaser/Measurer: ONEOK FIELD SERVICES

Location: CANADIAN 5 13N 10W
W2 SE SW SE
330 FSL 1945 FEL of 1/4 SEC
Latitude: 35.624756 Longitude: -98.28446
Derrick Elevation: 1565 Ground Elevation: 1543

First Sales Date: 7/2/2022

Operator: CIMAREX ENERGY CO 21194

202 S CHEYENNE AVE STE 1000
TULSA, OK 74103-3001

Completion Type		Location Exception		Increased Density	
X	Single Zone	Order No		Order No	
	Multiple Zone	727757		721985	
	Commingled			721986	

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
CONDUCTOR	20"			80			SURFACE
SURFACE	13 3/8"	54.5#	J-55	1482		823	SURFACE
INTERMEDIATE	9 5/8"	40#	HCL-80	10579		1661	936
PRODUCTION	5 1/2"	23#	P-110	23226		3887	15226

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
There are no Liner records to display.								

Total Depth: 23233

Packer	
Depth	Brand & Type
There are no Packer records to display.	

Plug	
Depth	Plug Type
There are no Plug records to display.	

Initial Test Data

Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut-In Pressure	Choke Size	Flow Tubing Pressure
Aug 21, 2022	WOODFORD	98	64	14478	147734	1382	FLOWING	3373	40	

Completion and Test Data by Producing Formation

Formation Name: WOODFORD		Code: 319WDFD		Class: GAS	
Spacing Orders		Perforated Intervals			
Order No	Unit Size	From	To		
563244	640 (5)	13246	18088		
463455	640 (32)	18088	23233		
727811	MULTIUNIT				
Acid Volumes		Fracture Treatments			
12 BBLS 15% HCL ACID		663,922 BBLS FLUID; 29,899,282 LBS 100 MESH PROPPANT			

Formation	Top
TONKAWA	7761
COTTAGE GROVE	8241
HOGSHOOTER	8627
CHECKERBOARD	8951
OSWEGO	9803
VERDIGRIS	9981
RED FORK	10262
INOLA	10547
ATOKA	10570
NOVI	10604
MORROW SHALE	10626
WOODFORD	13236

Were open hole logs run? No
Date last log run:

Were unusual drilling circumstances encountered? No
Explanation:

Other Remarks
SEPARATE ALLOWABLE ORDER NUMBERS: 721987, 721988 NO FLOW TUBING PRESSURE

Lateral Holes
Sec: 32 TWP: 14N RGE: 10W County: CANADIAN NW NW NE NE 150 FNL 1172 FEL of 1/4 SEC Depth of Deviation: 12615 Radius of Turn: 665 Direction: 360 Total Length: 9573 Measured Total Depth: 23233 True Vertical Depth: 13015 End Pt. Location From Release, Unit or Property Line: 150

Status: Accepted