

Oklahoma Corporation Commission
Oil & Gas Conservation Division
Post Office Box 52000
Oklahoma City, Oklahoma 73152-2000
Rule 165: 10-3-25

Form 1002A

API No.: 35061223710000

Completion Report

Spud Date: April 27, 2019

OTC Prod. Unit No.: 061-226064-0-0000

Drilling Finished Date: June 14, 2019

1st Prod Date: September 05, 2019

Completion Date: September 05, 2019

Drill Type: HORIZONTAL HOLE

Well Name: CHIPMUNK 1-30/31H

Purchaser/Measurer: SOUTHWEST ENERGY

Location: HASKELL 30 8N 20E
NW NW NW NW
103 FNL 246 FWL of 1/4 SEC
Latitude: 35.1446214 Longitude: -95.2488202
Derrick Elevation: 718 Ground Elevation: 695

First Sales Date: 9/5/2019

Operator: TRINITY OPERATING USG LLC 23879

1717 S BOULDER AVE STE 201
TULSA, OK 74119-4842

Completion Type		Location Exception		Increased Density	
X	Single Zone	Order No		Order No	
	Multiple Zone	70111		696092	
	Commingled			696441	

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
SURFACE	9.625	36	J-55	1508		355	SURFACE
PRODUCTION	5.5	20	P-110	17452		1740	4451

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
There are no Liner records to display.								

Total Depth: 17480

Packer	
Depth	Brand & Type
There are no Packer records to display.	

Plug	
Depth	Plug Type
There are no Plug records to display.	

Initial Test Data										
Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut-In Pressure	Choke Size	Flow Tubing Pressure
Sep 16, 2019	WOODFORD			2813		3739	FLOWING	430	76/128	

Completion and Test Data by Producing Formation

Formation Name: WOODFORD

Code: 319WDFD

Class: GAS

Spacing Orders

Order No	Unit Size
660419	640
695455	640
700110	MULTIUNIT

Perforated Intervals

From	To
7073	17312

Acid Volumes

69,006 TOTAL GALS ACID

Fracture Treatments

36,058,554 TOTAL GALS SLICKWATER
11,159,343 TOTAL LBS SAND

Formation	Top
SPIRO SANDSTONE	5799
WAPANUCKA LIMESTONE	5857
UNION VALLEY	5971
CROMWELL	6150
JEFFERSON	6383
FALSE CANEY	6434
CANEY	6546
MAYES	6710
WOODFORD	6856

Were open hole logs run? No

Date last log run:

Were unusual drilling circumstances encountered? No

Explanation:

Other Remarks

OCC – THIS DOCUMENT IS ACCEPTED BASED ON DATA SUBMITTED, THE FINAL LOCATION EXCEPTION FOR ORDER 700111 HAS NOT BEEN ISSUED.

OCC - THIS DOCUMENT IS ACCEPTED BASED ON DATA SUBMITTED, THE FINAL INCREASE DENSITY ORDER FOR 696092 HAS NOT BEEN ISSUED.

OCC – THIS DOCUMENT IS ACCEPTED BASED ON DATA SUBMITTED, THE FINAL MULTIUNIT HORIZONTAL WELL FOR ORDER 700110 HAS NOT BEEN ISSUED.

Lateral Holes

Sec: 31 TWP: 8N RGE: 20E County: HASKELL

SE SW SW SW

17 FSL 613 FWL of 1/4 SEC

Depth of Deviation: 6501 Radius of Turn: 378 Direction: 178 Total Length: 10385

Measured Total Depth: 17480 True Vertical Depth: 6985 End Pt. Location From Release, Unit or Property Line: 17

FOR COMMISSION USE ONLY

1144122

