

Oklahoma Corporation Commission  
Oil & Gas Conservation Division  
Post Office Box 52000  
Oklahoma City, Oklahoma 73152-2000  
Rule 165: 10-3-25

Form 1002A

API No.: 35051244740000

**Completion Report**

Spud Date: September 24, 2018

OTC Prod. Unit No.: 051-225614

Drilling Finished Date: October 16, 2018

1st Prod Date: March 30, 2019

Completion Date: March 30, 2019

**Drill Type:** HORIZONTAL HOLE

Min Gas Allowable: Yes

Well Name: LARRY 26-23-9-5 3WXH

Purchaser/Measurer: ENLINK

Location: GRADY 26 9N 5W  
NW SW SE SE  
355 FSL 1150 FEL of 1/4 SEC  
Latitude: 35.21918 Longitude: -97.69212  
Derrick Elevation: 1356 Ground Elevation: 1328

First Sales Date: 3/30/2019

Operator: ROAN RESOURCES LLC 24127

14701 HERTZ QUAIL SPRINGS PKWY  
OKLAHOMA CITY, OK 73134-2641

Completion Type		Location Exception		Increased Density	
	Single Zone	Order No		Order No	
X	Multiple Zone	698775		683404	
	Commingled			704440	

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
SURFACE	13 3/8	54.50	J-55	661		481	SURFACE
INTERMEDIATE	9 5/8	40	J-55	4769		678	SURFACE
PRODUCTION	5 1/2	20	P-110	19687		2863	SURFACE

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
There are no Liner records to display.								

**Total Depth: 19703**

Packer	
Depth	Brand & Type
There are no Packer records to display.	

Plug	
Depth	Plug Type
There are no Plug records to display.	

Initial Test Data
-------------------

Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut-In Pressure	Choke Size	Flow Tubing Pressure
Apr 18, 2019	WOODFORD	130	41	322	2477	1135	FLOWING	950	64/64	229

Completion and Test Data by Producing Formation

Formation Name: WOODFORD

Code:

Class: OIL

Spacing Orders

Order No	Unit Size
653331	640
655130	640
698724	MULTIUNIT

Perforated Intervals

From	To
10110	19586

Acid Volumes

There are no Acid Volume records to display.

Fracture Treatments

FRAC STAGES 1-37 OA: 15751136 GAL OF EC-7 WATER + 16517031 LB OF COMMON WHITE - 100 MESH

Formation	Top
HOXBAR	6409
COTTAGE GROVE	8008
OSWEGO	8923
VERDIGRIS	9102
BROWN	9596
MISSISSIPPI	9738
KINDERHOOK	9801
WOODFORD	9842

Were open hole logs run? No

Date last log run:

Were unusual drilling circumstances encountered? No

Explanation:

Other Remarks

EXCEPTION TO RULE 165:10-3-28 LOCATED WITHIN THE LOCATION EXCEPTION: APPROACHES WITHIN 541 FEET OF LARRY 26-23-9-5 4WXH AT 10112' MD.

BOTTOM HOLE LOCATION LAT AND LONG TAKEN FROM PERMIT PLAT

Lateral Holes

Sec: 23 TWP: 9N RGE: 5W County: GRADY

NW NE NW NE

61 FNL 1744 FEL of 1/4 SEC

Depth of Deviation: 9600 Radius of Turn: 516 Direction: 360 Total Length: 9542

Measured Total Depth: 19702 True Vertical Depth: 9604 End Pt. Location From Release, Unit or Property Line: 61

