# Oklahoma Corporation Commission Oil & Gas Conservation Division Post Office Box 52000 Oklahoma City, Oklahoma 73152-2000

Rule 165: 10-3-25

API No.: 35083244250000 **Completion Report** Spud Date: October 23, 2018

OTC Prod. Unit No.: 083-224726 Drilling Finished Date: November 16, 2018

1st Prod Date: December 25, 2019

Completion Date: December 25, 2018

**Drill Type: HORIZONTAL HOLE** 

Min Gas Allowable: Yes

Well Name: LORI DARLING 18-04-19 1H Purchaser/Measurer: GSPM

Location: LOGAN 30 18N 4W First Sales Date: 12/25/2018

NE NW NW NW

200 FNL 430 FWL of 1/4 SEC

Latitude: 36.01412303 Longitude: -97.6738841 Derrick Elevation: 1101 Ground Elevation: 1076

Operator: CHISHOLM OIL & GAS OPERATING LLC 23991

> 6100 S YALE AVE STE 1700 TULSA, OK 74136-1921

Completion Type						
Х	Single Zone					
	Multiple Zone					
	Commingled					

Location Exception
Order No
694214

Increased Density
Order No
There are no Increased Density records to display.

Casing and Cement							
Туре	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
CONDUCTOR	20			80			SURFACE
SURFACE	9 5/8	40	J-55	425		225	SURFACE
PRODUCTION	7	29	P-110	6822		280	3640

				Liner				
Туре	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
LINER	4 1/2	13.5	P-110	5200	0	0	6525	11725

Total Depth: 11725

Packer					
Depth	Brand & Type				
6822 - 11725	SWELL PACKERS OPEN HOLE COMPLETION				

Plug					
Depth Plug Type					
There are no Plug records to display.					

**Initial Test Data** 

November 19, 2019 1 of 3

Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut- In Pressure	Choke Size	Flow Tubing Pressure
Feb 06, 2018	MISSISSIPPIAN	300	40	389	1296	2066	ESP		64/64	200

## **Completion and Test Data by Producing Formation**

Formation Name: MISSISSIPPIAN

Code: 359MSSP

Class: OIL

Spacing Orders					
Order No	Unit Size				
669713	640				

Perforated Intervals					
From To					
There are no Perf. Intervals records to display.					

### **Acid Volumes**

46,742 GAL 15% HCL

#### **Fracture Treatments**

714,492 LBS 100 MESH SAND; 4,116,580 LBS 30/50 SAND

11,954,191 GAL SLICKWATER

Formation	Тор
CHECKERBOARD	5535
BIG LIME	5743
OSWEGO 3	5860
VERDIGRIS	5961
PINK LIME	6054
MISSISSIPPIAN	6107
MERAMEC SH 3	6184
OSAGE	6267
OSAGE 4	6358
OSAGE 6B	6485

Were open hole logs run? No Date last log run:

Were unusual drilling circumstances encountered? No

Explanation:

# Other Remarks

OCC – THIS IS AN OPEN HOLE COMPLETION FROM THE BOTTOM OF THE 7" AT 6822' TO TERMINUS AT 11725', THE 4 1/2 LINER IS NOT CEMENTED

### **Lateral Holes**

Sec: 19 TWP: 18N RGE: 4W County: LOGAN

NE NW NW NW

176 FNL 369 FWL of 1/4 SEC

Depth of Deviation: 6000 Radius of Turn: 526 Direction: 355 Total Length: 4898

Measured Total Depth: 11725 True Vertical Depth: 6463 End Pt. Location From Release, Unit or Property Line: 176

# FOR COMMISSION USE ONLY

1142202

Status: Accepted

November 19, 2019 2 of 3

November 19, 2019 3 of 3