

Oklahoma Corporation Commission  
 Oil & Gas Conservation Division  
 Post Office Box 52000  
 Oklahoma City, Oklahoma 73152-2000  
 Rule 165: 10-3-25

Form 1002A

API No.: 35051245400000

**Completion Report**

Spud Date: January 03, 2019

OTC Prod. Unit No.: 051-226458-0-0000

Drilling Finished Date: March 14, 2019

1st Prod Date: December 03, 2019

Completion Date: December 03, 2019

**Drill Type: HORIZONTAL HOLE**

Well Name: DALE LS 3-13X12H

Purchaser/Measurer:

Location: GRADY 13 4N 6W  
 NE SW SW SE  
 450 FSL 2253 FEL of 1/4 SEC  
 Latitude: 34.81335612 Longitude: -97.78077016  
 Derrick Elevation: 0 Ground Elevation: 1201

First Sales Date:

Operator: GULFPORT MIDCON LLC 24020

3001 QUAIL SPRINGS PKWY  
 OKLAHOMA CITY, OK 73134-2640

Completion Type	
X	Single Zone
	Multiple Zone
	Commingled

Location Exception	
Order No	
689767	

Increased Density	
Order No	
689059	
689060	

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
CONDUCTOR	30	150#	J55	120			
SURFACE	13 3/8	68#	J55	1515		865	SURFACE
INTERMEDIATE	9 5/8	40#	P110HC	13240		1080	7255
PRODUCTION	5 1/2	23#	P110HP	22160		1935	10579

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
There are no Liner records to display.								

**Total Depth: 22128**

Packer	
Depth	Brand & Type
There are no Packer records to display.	

Plug	
Depth	Plug Type
There are no Plug records to display.	

Initial Test Data

Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut-In Pressure	Choke Size	Flow Tubing Pressure
Dec 16, 2019	SYCAMORE - WOODFORD	641	572	5477	8544	2500	FLOWING	2848	32/64	

**Completion and Test Data by Producing Formation**

Formation Name: WOODFORD

Code: 319WDFD

Class: OIL

**Spacing Orders**

Order No	Unit Size
134400	640
636625	640
676366	640 NPT
689376	MULTIUNIT

**Perforated Intervals**

From	To
17127	22046

**Acid Volumes**

1,386 BBLS ACID

**Fracture Treatments**

15,225,706 LBS SAND  
280,622 BBLS WATER

Formation Name: SYCAMORE

Code: 352SCMR

Class: OIL

**Spacing Orders**

Order No	Unit Size
636625	640
676366	640 NPT
689376	MULTIUNIT

**Perforated Intervals**

From	To
15660	17127

**Acid Volumes**

ACIDIZED WITH WOODFORD

**Fracture Treatments**

FRAC'D WITH WOODFORD

Formation Name: SYCAMORE - WOODFORD

Code:

Class: OIL

Formation	Top
SYCAMORE	14939
WOODFORD	15231

Were open hole logs run? No

Date last log run:

Were unusual drilling circumstances encountered? No

Explanation:

**Other Remarks**

OCC - ORDER 691330 IS AN INTERIM ORDER TO AN EXCEPTION TO RULE 165:10-3-28. OCC - THIS DOCUMENT IS ACCEPTED BASED ON THE DATA SUBMITTED NEITHER THE FINAL LOCATION EXCEPTION NOR THE FINAL MULTIUNIT ORDERS HAVE BEEN ISSUED.

**Lateral Holes**

Sec: 12 TWP: 4N RGE: 6W County: GRADY

SE SW NE SW

1586 FSL 1930 FWL of 1/4 SEC

Depth of Deviation: 14524 Radius of Turn: 382 Direction: 360 Total Length: 6386

Measured Total Depth: 22128 True Vertical Depth: 15124 End Pt. Location From Release, Unit or Property Line: 1586

**FOR COMMISSION USE ONLY**

1144439

Status: Accepted