

Oklahoma Corporation Commission
Oil & Gas Conservation Division
Post Office Box 52000
Oklahoma City, Oklahoma 73152-2000
Rule 165: 10-3-25

Form 1002A

API No.: 35043237710001

Completion Report

Spud Date: February 02, 2023

OTC Prod. Unit No.: 043-230038

Drilling Finished Date: February 25, 2023

1st Prod Date: May 01, 2023

Completion Date: May 01, 2023

Drill Type: HORIZONTAL HOLE

Min Gas Allowable: Yes

Well Name: TERRY R NICHOLS 1-28H

Purchaser/Measurer: DCP

Location: DEWEY 33 18N 18W
NW NW NE NW
200 FNL 1350 FWL of 1/4 SEC
Latitude: 35.99964 Longitude: -99.1283
Derrick Elevation: 2047 Ground Elevation: 2029

First Sales Date: 05/01/2023

Operator: DUNCAN OIL PROPERTIES INC 15876

100 N BRAODWAY STE 2500
OKLAHOMA CITY, OK 73102-8023

Completion Type		Location Exception		Increased Density	
X	Single Zone	Order No		Order No	
	Multiple Zone	734685		There are no Increased Density records to display.	
	Commingled				

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
SURFACE	9.625	40	J55	1518	3950	635	SURFACE
INTERMEDIATE	7	29	P110	8358	11220	515	1000

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
LINER	4.5	13.5	P110	5836	12410	450	8223	14059

Total Depth: 14059

Packer		Plug	
Depth	Brand & Type	Depth	Plug Type
8819	AS1-X	There are no Plug records to display.	

Initial Test Data

Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut-In Pressure	Choke Size	Flow Tubing Pressure
Jun 01, 2023	CLEVELAND	197	47	819	4157	818	GAS LIFT	2311	64/64	119

Completion and Test Data by Producing Formation													
Formation Name: CLEVELAND	Code: 405CLVD	Class: OIL											
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2" style="text-align: center; padding: 5px;">Spacing Orders</th> </tr> </thead> <tbody> <tr> <td style="width: 50%; padding: 5px;">Order No</td> <td style="width: 50%; padding: 5px;">Unit Size</td> </tr> <tr> <td style="text-align: center; padding: 5px;">728955</td> <td style="text-align: center; padding: 5px;">640</td> </tr> </tbody> </table>	Spacing Orders		Order No	Unit Size	728955	640	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2" style="text-align: center; padding: 5px;">Perforated Intervals</th> </tr> </thead> <tbody> <tr> <td style="width: 50%; padding: 5px;">From</td> <td style="width: 50%; padding: 5px;">To</td> </tr> <tr> <td style="text-align: center; padding: 5px;">9215</td> <td style="text-align: center; padding: 5px;">13975</td> </tr> </tbody> </table>	Perforated Intervals		From	To	9215	13975
Spacing Orders													
Order No	Unit Size												
728955	640												
Perforated Intervals													
From	To												
9215	13975												
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: center; padding: 5px;">Acid Volumes</th> </tr> </thead> <tbody> <tr> <td style="padding: 5px;">25000 GALLONS 15% HCL</td> </tr> </tbody> </table>	Acid Volumes	25000 GALLONS 15% HCL	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: center; padding: 5px;">Fracture Treatments</th> </tr> </thead> <tbody> <tr> <td style="padding: 5px;">40/70 WHITE SAND 2,901,860 LBS</td> </tr> <tr> <td style="padding: 5px;">40/70 RC SAND 790660 LBS</td> </tr> <tr> <td style="padding: 5px;">108,934 BBLS SLICKWATER</td> </tr> </tbody> </table>	Fracture Treatments	40/70 WHITE SAND 2,901,860 LBS	40/70 RC SAND 790660 LBS	108,934 BBLS SLICKWATER						
Acid Volumes													
25000 GALLONS 15% HCL													
Fracture Treatments													
40/70 WHITE SAND 2,901,860 LBS													
40/70 RC SAND 790660 LBS													
108,934 BBLS SLICKWATER													

Formation	Top
CLEVELAND	8829

Were open hole logs run? No

Date last log run:

Were unusual drilling circumstances encountered? No

Explanation:

Other Remarks
There are no Other Remarks.

Lateral Holes
Sec: 28 TWP: 18N RGE: 18W County: DEWEY NW NE NW NW 120 FNL 796 FWL of 1/4 SEC Depth of Deviation: 8461 Radius of Turn: 437 Direction: 354 Total Length: 4741 Measured Total Depth: 14059 True Vertical Depth: 8838 End Pt. Location From Release, Unit or Property Line: 119

FOR COMMISSION USE ONLY	
Status: Accepted	1150251