Oklahoma Corporation Commission Oil & Gas Conservation Division Post Office Box 52000 Oklahoma City, Oklahoma 73152-2000

Rule 165: 10-3-25

API No.: 35073258570000 **Completion Report** Spud Date: May 15, 2018

OTC Prod. Unit No.: 073-223737 / 047-223737 Drilling Finished Date: June 08, 2018

1st Prod Date: July 12, 2018

Completion Date: July 12, 2018 Amend Reason: OCC - CORRECTION

Drill Type: HORIZONTAL HOLE Min Gas Allowable: Yes

Well Name: KIOWA 20-07-35 1H Purchaser/Measurer: MV PURCHASING

Location: KINGFISHER 2 19N 7W First Sales Date: 7/19/2018

NE NW NW NE 250 FNL 2250 FEL of 1/4 SEC

Latitude: 36.15895205 Longitude: -97.91498363 Derrick Elevation: 1167 Ground Elevation: 1146

Operator: CHISHOLM OIL & GAS OPERATING LLC 23991

> 6100 S YALE AVE STE 1700 TULSA, OK 74136-1921

Amended

Completion Type	Location Exception
X Single Zone	Order No
Multiple Zone	687153
Commingled	

Increased Density
Order No
There are no Increased Density records to display.

Casing and Cement							
Туре	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
CONDUCTOR	20			102			SURFACE
SURFACE	9 5/8	40	J-55	425		225	SURFACE
PRODUCTION	7	29	P-110	7865		280	4590

				Liner				
Туре	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
LINER	4 1/2	13.5	P-110	5229	0	0	7506	12735

Total Depth: 12735

Packer					
Depth	Brand & Type				
7865 - 12735	SWELL PACKERS OPEN HOLE COMPLETION				

Plug					
Depth	Plug Type				
7175	CEMENT PLUG				

Initial Test Data

January 23, 2020 1 of 3

Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut- In Pressure	Choke Size	Flow Tubing Pressure
Aug 16, 2018	MISSISSIPPIAN	242	38	654	2702	450	ESP		64/64	275

Completion and Test Data by Producing Formation

Formation Name: MISSISSIPPIAN

Code: 359MSSP

Class: OIL

Spacing Orders					
Order No	Unit Size				
649454	640				

Perforated Intervals					
From To					
There are no Perf. Intervals records to display.					

Acid Volumes

51,316 GAL ACID

Fracture Treatments

965,500 LBS 100 MESH SAND 3,184,544 LBS 30/50 SAND 10,508,568 GAL SLICKWATER

Formation	Тор
CHECKERBOARD	6050
BIG LIME	6197
OSWEGO 3	6353
VERDIGRIS	6460
PINK LIME	6547
CHESTER	6661
MANNING	6748
MISSISSIPPIAN	7033
OSAGE	7086
OSAGE 6	7330
OSAGE 6B	7451

Were open hole logs run? No Date last log run:

Were unusual drilling circumstances encountered? Yes Explanation: PUMPED 1003C CEMENT PLUG TO HEAL LOST CIRCULATION @7165' MD BEFORE DRILLING AHEAD. THEN SET INTERMEDIATE CASING (7").

Other Remarks

OCC – THIS IS AN OPEN HOLE COMPLETION FROM THE BOTTOM OF THE 7" AT 7865' TO TERMINUS AT 12735', THE 4 1/2 LINER IS NOT CEMENTED.

Lateral Holes

Sec: 35 TWP: 20N RGE: 7W County: GARFIELD

NE NW NW NE

186 FNL 2107 FEL of 1/4 SEC

Depth of Deviation: 7152 Radius of Turn: 456 Direction: 2 Total Length: 4867

Measured Total Depth: 12735 True Vertical Depth: 7505 End Pt. Location From Release, Unit or Property Line: 186

FOR COMMISSION USE ONLY

1141756

January 23, 2020 2 of 3

Status: Accepted

January 23, 2020 3 of 3