Oklahoma Corporation Commission
Oil & Gas Conservation Division
Post Office Box 52000
Oklahoma City, Oklahoma 73152-2000
Rule 165: 10-3-25

Form 1002A

API No.: 35051244860001

Completion Report

Spud Date: October 17, 2018

OTC Prod. Unit No.: 051225564

Drilling Finished Date: November 21, 2018

1st Prod Date: April 23, 2019

Completion Date: April 21, 2019

Drill Type: HORIZONTAL HOLE

Min Gas Allowable: Yes

Well Name: WHEELER FARMS 1-25-36-1-12XHS

Purchaser/Measurer: ENABLE MIDSTREAM

Location: GRADY 25 7N 6W
NW SE SW SW
331 FSL 965 FWL of 1/4 SEC
Derrick Elevation: 0 Ground Elevation: 0

First Sales Date: 4/23/2019

Operator: CONTINENTAL RESOURCES INC 3186
PO BOX 269000
20 N BROADWAY AVE
OKLAHOMA CITY, OK 73126-9000

Completion Type	
X	Single Zone
	Multiple Zone
	Commingled

Location Exception
Order No
690112

Increased Density
Order No
687127
689873
685442
685443
687584
687585

Casing and Cement

Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
SURFACE	13 3/8	55	J-55	1508		820	SURFACE
INTERMEDIATE	9 5/8	40	P-110	11631		1265	2866
PRODUCTION	5 1/2	23	P-110ICY	25658		3430	6596

Liner

Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
There are no Liner records to display.								

Total Depth: 25658

Packer	
Depth	Brand & Type
There are no Packer records to display.	

Plug	
Depth	Plug Type
There are no Plug records to display.	

Initial Test Data

Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut-In Pressure	Choke Size	Flow Tubing Pressure
Apr 27, 2019	SPRINGER	390.4	44.3	531	1369.9	4080	FLOWING	4380	24/64	2874

Completion and Test Data by Producing Formation

Formation Name: SPRINGER Code: 401 SPRG Class: OIL

Spacing Orders

Order No	Unit Size
153801	640
583128	640
686254	640
690111	MULTIUNIT

Perforated Intervals

From	To
12141	25483

Acid Volumes

1800 BBLS OF 15% HCL ACID

Fracture Treatments

502523 BBLS OF FLUID & 22278080 LBS OF SAND

Formation	Top
SPRINGER	11940

Were open hole logs run? No
Date last log run:

Were unusual drilling circumstances encountered? No
Explanation:

Other Remarks

OCC: THIS DOCUMENT IS BEING ACCEPTED BASED ON THE DATA SUBMITTED. NEITHER THE FINAL LOCATION EXCEPTION NOR THE FINAL MULTIUNIT ORDERS HAVE BEEN ISSUED

ORDER NUMBER 697547 IS AN EXCEPTION TO OAC 165:10-3-28(C)(2)(B)

Lateral Holes

Sec: 12 TWP: 6N RGE: 6W County: GRADY

SE SE SW NW

2609 FNL 999 FWL of 1/4 SEC

Depth of Deviation: 11748 Radius of Turn: 358 Direction: 180 Total Length: 13287

Measured Total Depth: 25658 True Vertical Depth: 12623 End Pt. Location From Release, Unit or Property Line: 999

FOR COMMISSION USE ONLY

1142589

Status: Accepted