

Oklahoma Corporation Commission  
Oil & Gas Conservation Division  
Post Office Box 52000  
Oklahoma City, Oklahoma 73152-2000  
Rule 165: 10-3-25

Form 1002A

API No.: 35125235950001

**Completion Report**

Spud Date: July 26, 2006

OTC Prod. Unit No.: 125-119614-0-0000

Drilling Finished Date: September 19, 2006

**Amended**

1st Prod Date: October 26, 2006

Amend Reason: DEEPEN - ADD LATERAL

Completion Date: October 11, 2006

Recomplete Date: February 08, 2018

**Drill Type: DIRECTIONAL HOLE**

Min Gas Allowable: Yes

**HORIZONTAL HOLE**

Purchaser/Measurer: KINDER MORGAN

Well Name: WAYNE-O 2-23H

First Sales Date: 10/26/2006

Location: POTTAWATOMIE 23 11N 6E  
NW SW SW SW  
450 FSL 285 FWL of 1/4 SEC  
Latitude: 35.406213 Longitude: -96.647234  
Derrick Elevation: 906 Ground Elevation: 891

Operator: NEW DOMINION LLC 20585

1307 S BOULDER AVE STE 400  
TULSA, OK 74119-3220

Completion Type		Location Exception		Increased Density	
X	Single Zone	Order No		Order No	
	Multiple Zone	533213		520567	
	Commingled	535227 NPT			
		679694			

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
SURFACE	9 5/8	36	J-55	1387	500	550	SURFACE
PRODUCTION	7	23 & 26	K-55	4920	1000	300	3320

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
There are no Liner records to display.								

**Total Depth: 8870**

Packer	
Depth	Brand & Type
There are no Packer records to display.	

Plug	
Depth	Plug Type
There are no Plug records to display.	

Initial Test Data
-------------------

Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut-In Pressure	Choke Size	Flow Tubing Pressure
Nov 13, 2006	MISENER-HUNTON	27		500	18519	1149	PUMPING			

#### Completion and Test Data by Producing Formation

Formation Name: MISENER-HUNTON

Code: 319MSRH

Class: GAS

#### Spacing Orders

Order No	Unit Size
492707	320
487232	320
492938	320 NPT

#### Perforated Intervals

From	To
4284	4310
4426	4468
4508	4580
4596	4664

#### Acid Volumes

50,000 GALLONS 3% HCL, 20,000 GALLONS MOD ACID
--

#### Fracture Treatments

10,000 GALLONS TREATED WATER, 15,000 GALLONS TREATED FLUSH WATER
--

Formation	Top
MISENER / HUNTON	4283

Were open hole logs run? No

Date last log run:

Were unusual drilling circumstances encountered? No

Explanation:

#### Other Remarks

OCC - THIS WELL IS BOTH PERFORATED IN THE 7" CASING AND OPEN HOLE COMPLETION FROM FIVE LATERALS DRILLED THROUGH WINDOW CUT IN 7" CASING AT 4,324' TO 4,339'. THE FIVE LATERALS ARE OPEN HOLE FROM THE WINDOW CUT IN THE CASING TO THE TERMINUS OF EACH LATERAL. OCC - THE SPACING ORDER COVERS A 320 ACRE UNIT COVERING S/2 SECTION 23 -11N-6E. ORDER 677665 IS AN EXCEPTION TO THE RULE 165:10;3-28(C)(2)(B).

#### Bottom Holes

Sec: 23 TWP: 11N RGE: 6E County: POTTAWATOMIE

SE NE SW SW

965 FSL 1054 FWL of 1/4 SEC

Depth of Deviation: 0 Radius of Turn: 0 Direction: 0 Total Length: 0

Measured Total Depth: 4922 True Vertical Depth: 4470 End Pt. Location From Release, Unit or Property Line: 965

#### Lateral Holes

Sec: 23 TWP: 11N RGE: 6E County: POTTAWATOMIE SW NE NW SE 368 FNL 1677 FEL of 1/4 SEC Depth of Deviation: 3509 Radius of Turn: 404 Direction: 61 Total Length: 3382 Measured Total Depth: 7733 True Vertical Depth: 4298 End Pt. Location From Release, Unit or Property Line: 368
Sec: 23 TWP: 11N RGE: 6E County: POTTAWATOMIE SW SE NW SE 1278 FNL 1744 FEL of 1/4 SEC Depth of Deviation: 3509 Radius of Turn: 661 Direction: 74 Total Length: 2716 Measured Total Depth: 7380 True Vertical Depth: 4240 End Pt. Location From Release, Unit or Property Line: 1278
Sec: 23 TWP: 11N RGE: 6E County: POTTAWATOMIE NE SE NW SE 884 FNL 1562 FEL of 1/4 SEC Depth of Deviation: 3509 Radius of Turn: 530 Direction: 69 Total Length: 3142 Measured Total Depth: 7649 True Vertical Depth: 4195 End Pt. Location From Release, Unit or Property Line: 884
Sec: 23 TWP: 11N RGE: 6E County: POTTAWATOMIE SW NE NE SE 427 FNL 432 FEL of 1/4 SEC Depth of Deviation: 3509 Radius of Turn: 530 Direction: 69 Total Length: 4528 Measured Total Depth: 8870 True Vertical Depth: 4195 End Pt. Location From Release, Unit or Property Line: 427
Sec: 23 TWP: 11N RGE: 6E County: POTTAWATOMIE SW NE NW SW 411 FNL 733 FWL of 1/4 SEC Depth of Deviation: 3509 Radius of Turn: 376 Direction: 14 Total Length: 1858 Measured Total Depth: 5956 True Vertical Depth: 4220 End Pt. Location From Release, Unit or Property Line: 411

FOR COMMISSION USE ONLY	
Status: Accepted	1138935