

Oklahoma Corporation Commission
Oil & Gas Conservation Division
Post Office Box 52000
Oklahoma City, Oklahoma 73152-2000
Rule 165: 10-3-25

Form 1002A

API No.: 35133247860002

Completion Report

Spud Date: November 06, 2008

OTC Prod. Unit No.: 133-125805-0-0000

Drilling Finished Date: December 19, 2008

Amended

1st Prod Date: January 24, 2009

Amend Reason: DEEPEN - ADD TWO LATERALS

Completion Date: January 14, 2009

Recomplete Date: February 02, 2018

Drill Type: DIRECTIONAL HOLE

HORIZONTAL HOLE

Min Gas Allowable: Yes

Well Name: WALNUT 2-20H

Purchaser/Measurer: SCISSORTAIL

Location: SEMINOLE 21 10N 6E
SE NE NE NW
350 FNL 200 FEL of 1/4 SEC
Latitude: 35.332682 Longitude: -96.680779
Derrick Elevation: 987 Ground Elevation: 972

First Sales Date: 01/24/2009

Operator: NEW DOMINION LLC 20585

1307 S BOULDER AVE STE 400
TULSA, OK 74119-3220

Completion Type		Location Exception		Increased Density	
X	Single Zone	Order No		Order No	
	Multiple Zone	563300		There are no Increased Density records to display.	
	Commingled	705531			

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
SURFACE	9 5/8	36	J-55	1433		550	SURFACE
PRODUCTION	7	26	J-55 LTC	4942	1500	300	3100

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
There are no Liner records to display.								

Total Depth: 11657

Packer	
Depth	Brand & Type
There are no Packer records to display.	

Plug	
Depth	Plug Type
There are no Plug records to display.	

Initial Test Data

Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut-In Pressure	Choke Size	Flow Tubing Pressure
Jan 24, 2009	MISENER-HUNTON			105		3121	PUMPING			

Completion and Test Data by Producing Formation

Formation Name: MISENER-HUNTON

Code: 319MSRH

Class: GAS

Spacing Orders

Order No	Unit Size
553866	640

Perforated Intervals

From	To
4674	4812

Acid Volumes

553 BARRELS NEFE HCL

Fracture Treatments

There are no Fracture Treatments records to display.
--

Formation	Top
MISENER / HUNTON	4350

Were open hole logs run? No

Date last log run:

Were unusual drilling circumstances encountered? No

Explanation:

Other Remarks

OCC - THIS WELL IS BOTH PERFORATED IN THE 7" CASING AND OPEN HOLE COMPLETION FROM FIVE LATERALS DRILLED THROUGH WINDOW CUT IN 7" CASING AT 4,608' - 4,618'. ALL OPEN HOLES COMPLETED TO VARIOUS TERMINUS OF EACH LATERAL. OCC - THIS 640 ACRE UNIT IS AN IRREGULAR UNIT COMPRISING OF THE E/2 SECTION 20 AND THE W/2 SECTION 21-10N-6E.

Bottom Holes

Sec: 21 TWP: 10N RGE: 6E County: SEMINOLE

NE SW NE NW

983 FNL 848 FEL of 1/4 SEC

Depth of Deviation: 0 Radius of Turn: 0 Direction: 0 Total Length: 0

Measured Total Depth: 4950 True Vertical Depth: 4558 End Pt. Location From Release, Unit or Property Line: 983

Lateral Holes

<p>Sec: 20 TWP: 10N RGE: 6E County: SEMINOLE</p> <p>SE SW SE SE</p> <p>742 FSL 456 FEL of 1/4 SEC</p> <p>Depth of Deviation: 3396 Radius of Turn: 600 Direction: 225 Total Length: 5609</p> <p>Measured Total Depth: 9118 True Vertical Depth: 4406 End Pt. Location From Release, Unit or Property Line: 742</p>
<p>Sec: 21 TWP: 10N RGE: 6E County: SEMINOLE</p> <p>SW SW NE SW</p> <p>1148 FSL 1265 FEL of 1/4 SEC</p> <p>Depth of Deviation: 3396 Radius of Turn: 600 Direction: 190 Total Length: 3784</p> <p>Measured Total Depth: 7774 True Vertical Depth: 4419 End Pt. Location From Release, Unit or Property Line: 1265</p>
<p>Sec: 20 TWP: 10N RGE: 6E County: SEMINOLE</p> <p>NE NE SW NE</p> <p>1600 FNL 1461 FEL of 1/4 SEC</p> <p>Depth of Deviation: 3396 Radius of Turn: 600 Direction: 260 Total Length: 4242</p> <p>Measured Total Depth: 8287 True Vertical Depth: 4367 End Pt. Location From Release, Unit or Property Line: 1461</p>
<p>Sec: 21 TWP: 10N RGE: 6E County: SEMINOLE</p> <p>SE SW SW NW</p> <p>2453 FNL 2195 FEL of 1/4 SEC</p> <p>Depth of Deviation: 3396 Radius of Turn: 600 Direction: 230 Total Length: 3498</p> <p>Measured Total Depth: 6901 True Vertical Depth: 4432 End Pt. Location From Release, Unit or Property Line: 2195</p>
<p>Sec: 21 TWP: 10N RGE: 6E County: SEMINOLE</p> <p>NE NW NW NW</p> <p>234 FNL 2009 FEL of 1/4 SEC</p> <p>Depth of Deviation: 3396 Radius of Turn: 600 Direction: 309 Total Length: 1941</p> <p>Measured Total Depth: 6280 True Vertical Depth: 4416 End Pt. Location From Release, Unit or Property Line: 234</p>

FOR COMMISSION USE ONLY	
Status: Accepted	1138934