

Oklahoma Corporation Commission  
Oil & Gas Conservation Division  
Post Office Box 52000  
Oklahoma City, Oklahoma 73152-2000  
Rule 165: 10-3-25

Form 1002A

API No.: 35011241800000

**Completion Report**

Spud Date: February 21, 2019

OTC Prod. Unit No.: 011-225800-0-0000

Drilling Finished Date: April 03, 2019

1st Prod Date: June 19, 2019

Completion Date: June 15, 2019

**Drill Type:** HORIZONTAL HOLE

Well Name: NITZEL 3-18 1412MH

Purchaser/Measurer: REDCLIFF

Location: BLAINE 7 14N 12W  
SE SE SE SW  
250 FSL 2360 FWL of 1/4 SEC  
Latitude: 35.696906 Longitude: -98.517362  
Derrick Elevation: 0 Ground Elevation: 1475

First Sales Date: 06/19/2019

Operator: TRIUMPH ENERGY PARTNERS LLC 23826

14001 DALLAS PKWY STE 1200  
DALLAS, TX 75240-7369

Completion Type		Location Exception		Increased Density	
X	Single Zone	Order No		Order No	
	Multiple Zone	713729		690768	
	Commingled			694734NPT	

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
SURFACE	13.375	54.5	J55	1507		1230	SURFACE
INTERMEDIATE	9.625	40	P110	10622		665	4690
PRODUCTION	5.5	20	P110	17808		1770	9078

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
There are no Liner records to display.								

**Total Depth: 17821**

Packer	
Depth	Brand & Type
There are no Packer records to display.	

Plug	
Depth	Plug Type
There are no Plug records to display.	

Initial Test Data
-------------------

Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut-In Pressure	Choke Size	Flow Tubing Pressure
Jul 11, 2019	MISS'AN LM	362	57	12855	35511	930	FLOWING	4300	28/64	0.01

#### Completion and Test Data by Producing Formation

Formation Name: MISS'AN LM

Code: 359MPLM

Class: GAS

#### Spacing Orders

Order No	Unit Size
137604	640

#### Perforated Intervals

From	To
17703	12808

#### Acid Volumes

504 BBL 15% NEFE HCL
----------------------

#### Fracture Treatments

197,862 BBL FLUID AND 10,575,300# SAND
--

Formation	Top
TONKAWA	7838
OSWEGO	9740
VERDIGRIS	9869
PINK	10115
INOLA	10593
ATOKA	10691
13 FINGER	10744
MORROW	10852
CHESTER SHALE	11328
CHESTER DENSE	11442
MERAMEC	12465

Were open hole logs run? No

Date last log run:

Were unusual drilling circumstances encountered? No

Explanation:

#### Other Remarks

There are no Other Remarks.

#### Lateral Holes

Sec: 18 TWP: 14N RGE: 12W County: BLAINE

SW SE SE SW

84 FSL 2206 FWL of 1/4 SEC

Depth of Deviation: 12058 Radius of Turn: 648 Direction: 180 Total Length: 4745

Measured Total Depth: 17821 True Vertical Depth: 12723 End Pt. Location From Release, Unit or Property Line: 84

#### FOR COMMISSION USE ONLY

1143228

Status: Accepted



6/19/19  
Oklahoma Corporation Commission  
Oil & Gas Conservation Division  
Post Office Box 52000  
Oklahoma City, Oklahoma 73152-2000  
Rule 165: 10-3-25

Form 1002A

**1002A**  
**Addendum**

API No. 05011241800000

**Completion Report**

Spud Date: February 21, 2019

OTC Prod. Unit No.: 011-225800-0-0000

Drilling Finished Date: April 03, 2019

1st Prod Date: June 19, 2019

Completion Date: June 15, 2019

**Drill Type:** HORIZONTAL HOLE

**Well Name:** NITZEL 3-18 1412MH

**Purchaser/Measurer:** REDCLIFF

**Location:** BLAINE 7 14N 12W  
SE SE SE SW  
250 FSL 2360 FWL of 1/4 SEC  
Latitude: 35.696906 Longitude: -98.517362  
Derrick Elevation: 0 Ground Elevation: 1475

**First Sales Date:** 06/19/2019

A: 225800

I

**Operator:** TRIUMPH ENERGY PARTNERS LLC 23826

14001 DALLAS PKWY STE 1200  
DALLAS, TX 75240-7369

Completion Type	
X	Single Zone
	Multiple Zone
	Commingled

Location Exception
Order No
713729

Increased Density
Order No
690768
694734NPT

SA: 690769  
18-14N-12W

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
SURFACE	13.375	54.5	J55	1507		1230	SURFACE
INTERMEDIATE	9.625	40	P110	10622		665	4690
PRODUCTION	5.5	20	P110	17808		1770	9078

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
There are no Liner records to display.								

**Total Depth: 17821**

Packer	
Depth	Brand & Type
There are no Packer records to display.	

Plug	
Depth	Plug Type
There are no Plug records to display.	

Initial Test Data
-------------------

7/11/19 359 MPLM 4300