

Oklahoma Corporation Commission
Oil & Gas Conservation Division
Post Office Box 52000
Oklahoma City, Oklahoma 73152-2000
Rule 165: 10-3-25

Form 1002A

API No.: 35117234400002

Completion Report

Spud Date: September 21, 2011

OTC Prod. Unit No.: 117-206649

Drilling Finished Date: February 21, 2012

Amended

1st Prod Date: March 26, 2012

Amend Reason: RECOMPLETE

Completion Date: March 23, 2012

Recomplete Date: March 02, 2021

Drill Type: HORIZONTAL HOLE

Min Gas Allowable: Yes

Well Name: ABUNDA 1-21H

Purchaser/Measurer:

Location: PAWNEE 21 20N 5E
S2 S2 SE SE
283 FSL 1980 FWL of 1/4 SEC
Latitude: 36.188998 Longitude: -96.768624
Derrick Elevation: 1042 Ground Elevation: 1026

First Sales Date:

Operator: NOGP OPERATING COMPANY LLC 24311

PO BOX 718
TEXARKANA, TX 75504-0718

Completion Type		Location Exception		Increased Density	
X	Single Zone	Order No		Order No	
	Multiple Zone	710620		There are no Increased Density records to display.	
	Commingled				

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
SURFACE	9.625	36	J-55	505		265	SURFACE
PRODUCTION	7	26	N-80	4226		270	2626

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
LINER	4.5	11.6	N-80	3441	0	290	4097	7538

Total Depth: 7594

Packer		Plug	
Depth	Brand & Type	Depth	Plug Type
There are no Packer records to display.		3620	CAST IRON

Initial Test Data

Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut-In Pressure	Choke Size	Flow Tubing Pressure
Mar 09, 2021	RED FORK	10		35	3500	623	PUMPING			

Completion and Test Data by Producing Formation

Formation Name: RED FORK		Code: 404RDFK	Class: OIL										
<div>Spacing Orders</div> <table> <tr> <th>Order No</th> <th>Unit Size</th> </tr> <tr> <td>709344</td> <td>640</td> </tr> </table>		Order No	Unit Size	709344	640	<div>Perforated Intervals</div> <table> <tr> <th>From</th> <th>To</th> </tr> <tr> <td>3436</td> <td>3444</td> </tr> <tr> <td>3448</td> <td>3459</td> </tr> </table>		From	To	3436	3444	3448	3459
Order No	Unit Size												
709344	640												
From	To												
3436	3444												
3448	3459												
<div>Acid Volumes</div> <table> <tr> <td>1,500 GALLONS 15% HCL</td> </tr> </table>		1,500 GALLONS 15% HCL	<div>Fracture Treatments</div> <table> <tr> <td>366 BARRELS XLINK GEL WITH 25,500 POUNDS 12/20 SAND</td> </tr> </table>		366 BARRELS XLINK GEL WITH 25,500 POUNDS 12/20 SAND								
1,500 GALLONS 15% HCL													
366 BARRELS XLINK GEL WITH 25,500 POUNDS 12/20 SAND													

Formation	Top
RED FORK SANDSTONE	3436

Were open hole logs run? Yes
Date last log run: September 30, 2011

Were unusual drilling circumstances encountered? No
Explanation:

Other Remarks
There are no Other Remarks.

Lateral Holes
Sec: 21 TWP: 20N RGE: 5E County: PAWNEE NW SW NE NE 1819 FSL 1558 FWL of 1/4 SEC Depth of Deviation: 3040 Radius of Turn: 833 Direction: 353 Total Length: 3364 Measured Total Depth: 7594 True Vertical Depth: 3712 End Pt. Location From Release, Unit or Property Line: 821

FOR COMMISSION USE ONLY
<div>Status: Accepted</div> <div>1150090</div>