API NUMBER: 073 26021

Oil & Gas

Horizontal Hole

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 04/19/2018
Expiration Date: 10/19/2018

PERMIT TO DRILL

WELL LOCATION: Sec: 36 Twp: 17N Rge: 6W County: KINGFISHER

SPOT LOCATION: NE NE NW NE FEET FROM QUARTER: FROM NORTH FROM EAST SECTION LINES: 283 1500

Lease Name: SLAUGHTER HOUSE 1706 Well No: 9-36MH Well will be 283 feet from nearest unit or lease boundary.

Operator OKLAHOMA ENERGY ACQUISITIONS LP Telephone: 2815300991 OTC/OCC Number: 23509 0

OKLAHOMA ENERGY ACQUISITIONS LP 15021 KATY FREEWAY STE 400

HOUSTON, TX 77094-1900

COMMISSIONERS OF THE LAND OFFICE 204 N. ROBINSON. SUITE 900

OKLAHOMA CITY OK 73102

Formation(s) (Permit Valid for Listed Formations Only):

Depth Name Depth MISSISSIPPIAN (EX CHESTER) 7423 1 6 2 7 3 8 4 9 10 673587 Spacing Orders: Location Exception Orders: 673766 Increased Density Orders: 676112

Pending CD Numbers: Special Orders:

Total Depth: 12500 Ground Elevation: 1018 Surface Casing: 500 Depth to base of Treatable Water-Bearing FM: 130

Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: No

PIT 1 INFORMATION Approved Method for disposal of Drilling Fluids:

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED

D. One time land application -- (REQUIRES PERMIT)

H. CLOSED SYSTEM=STEEL PITS (REQUIRED - CIMARRON RIVER)

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well?

within 1 mile of municipal water well?

Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C
Pit Location is AP/TE DEPOSIT
Pit Location Formation: TERRACE

PERMIT NO: 18-34291

HORIZONTAL HOLE 1

Sec 36 Twp 17N Rge 6W County KINGFISHER

Spot Location of End Point: SW SW SE SE
Feet From: SOUTH 1/4 Section Line: 165
Feet From: EAST 1/4 Section Line: 1059

Depth of Deviation: 6850
Radius of Turn: 415
Direction: 175
Total Length: 4999

Measured Total Depth: 12500

True Vertical Depth: 7423

End Point Location from Lease,
Unit, or Property Line: 165

Notes:

Category Description

DEEP SURFACE CASING 4/13/2018 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF

CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR

SURFACE CASING

HYDRAULIC FRACTURING 4/13/2018 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH

WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES. USING THE

"FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS

TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE

HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

INCREASED DENSITY - 676112 4/17/2018 - G58 - 36-17N-6W

X673587 MSNLC

7 WELLS

OKLAHOMA ENERGY ACQUISITIONS, LP

4/11/2018

LOCATION EXCEPTION - 673766 4/17/2018 - G58 - (I.O.) 36-17N-6W

X673587 MSNLC

COMPL. INT. NCT 165' FNL, NCT 165' FSL, NCT 930' FEL

OKLAHOMA ENERGY ACQUISITIONS, LP

2/16/2018

PENDING CD - 201708123 4/19/2018 - G58 - (I.O.) 36-17N-6W

X165:10-3-28(C)(2)(B) MSNLC (SLAUGHTER HOUSE 1706 9-36MH)

NO CLOSER THAN 370 FEET FROM THE STATE LAND 1-Y WELL

REC 3/26/2018 (PORTER)

SPACING - 673587 4/17/2018 - G58 - (640)(HOR) 36-17N-6W

EXT OTHERS EXT 663990 MSNLC

POE TO BHL NLT 660' FB

(COEXIST SP ORDER 45316/62761 MSSLM)

